

# Mortice Latches — Contract Range

## MHL 25.01

### Mortice Latch

Sizes, mm:

Depth	64.5	80	91.5
Backset	44.5	57	82.5

Finishes: Bright Zinc Plate,  
Electro-Brass.

Variation: MHL 25.01Reb. As MHL 25.01  
but 13 mm fully rebated.




## MHL 25.02

### Mortice Latch

Sizes, mm:

Depth	63.5	76.5	101.5
Backset	44.5	57.5	82.5

Finishes: Bright Chrome,  
Polished Brass.



## MHL 25.03


### Mortice Latch

Sizes, mm:

Depth	65	77.5
Backset	44	57

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack - MHL 25.03Reb.



## MHL 25.04


### Mortice Latch

Sizes, mm:

Depth	65	77.5	103
Backset	44	57	82.5

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack - MHL 25.04Reb.



## MHL 25.05


### Mortice Latch

Sizes, mm:

Depth	127	152
Backset	101.5	127

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack - MHL 25.05Reb.



# Mortice Locks — Contract Range

## MHL 25.06

### 5-Lever Mortice Lock to BS3621: 2007

Sizes, mm:

Depth 65 78

Backset 44 57

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.06Reb.

MHL 25.06



## MHL 25.07

### 3-Lever Mortice Lock

Sizes, mm:

Depth 54.5 65 77.5 103

Backset 32 44 57 82.5

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.07Reb.

MHL 25.07



## MHL 25.08

### 3-Lever Mortice Lock

Sizes, mm:

Depth 123.5 149

Backset 101.5 127

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.08Reb.

MHL 25.08



## MHL 25.09

### 3-Lever Mortice Lock

Sizes, mm:

Depth 123.5 149

Backset 101.5 127

Finishes: Satin Chrome, Polished Chrome.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.09Reb.

May be supplied Master keyed to order.

MHL 25.09



# Mortice Deadlocks — Contract Range

## MHL 25.10

### 5-Lever Mortice Deadlock to BS3621: 2007

Sizes, mm:

Depth 65 78

Backset 44 57

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.10Reb.



## MHL 25.11

### 3-Lever Mortice Deadlock


Sizes, mm:

Depth 65 77.5

Backset 44 57

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.11Reb.



## MHL 25.12

### 3-Lever Mortice Deadlock


Sizes, mm:

Depth 65 77.5

Backset 44 57

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.12Reb.



## MHL 25.13

### 3-Lever Escape Mortice Deadlock

Sizes, mm:

Depth 77.5

Backset 57

Finishes: Satin Chrome, Polished Brass.

Operation: By key from outside and  
knob from the other side.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.13Reb.



# Mortice Bathroom Locks — Contract Range


## MHL 25.14

### Mortice Bathroom Lock

Sizes, mm:

Depth	63.5	76.5
Backset	44.5	57.5

Finishes: Bright Chrome,  
Polished Brass.



MHL 25.14

## MHL 25.15


### Mortice Bathroom Lock

Sizes, mm:

Depth	65	77.5	103
Backset	44	57	82.5

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.15Reb.



MHL 25.15

## MHL 25.16


### Mortice Bathroom Lock

Sizes, mm:

Depth	123.5	149
Backset	101.5	127

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.16Reb.



MHL 25.16

## MORTICE DEADBOLTS

### MHL 25.17

#### Turn Operated Deadlock


Sizes, mm:

Depth	65	77.5
Backset	44	57

Follower: 5 mm.

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate  
accessory pack, MHL 25.17Reb.



MHL 25.17

## MHL 25.18

#### Turn Operated Deadlock

Sizes, mm:

Depth	76
Backset	57

Follower: 5 or 8 mm.

Finishes: Satin Chrome, Polished Brass.



MHL 25.18



# Cavell - DIN Standard Architectural Mortice Lock Case

## MHL 25.19

### Euro Profile Mortice Sashlock Cases

#### Standards and Certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN 12209: 2003



**Fire Safety:** Included in a successful fire test to BS EN 1634 Part 1: 2000. For use on a 1 hour fire door



**CE Marked:** Certificate: 1121-CPD-AG0067



**Certifire Approved Product:** Certificate CF530



**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"

#### Features

**Case** – mild steel/black powder coated finish, pierced to accept bolt through furniture and escutcheons with 38mm centres

**Backset** – 60mm

**Centres** – 72mm

**Latchbolt** – nickel plated solid brass guided latchbolt, easily reversible without opening case

**Follower** – 8mm zinc alloy follower (high copper content for additional strength) with spindle gripping feature

**Deadbolt** – zinc alloy single throw with 20mm projection (high copper content for additional strength)

**Forend and striking plates** available square or radius


**Suitable** for sprung and most unsprung lever furniture

**Satin/polished stainless steel or polished brass** forend and striking plate

**5 year guarantee.**



MHL 25.19



# Cavell - DIN Standard Architectural Mortice Lock Case

## MHL 25.20

### Euro Profile Mortice Deadlock Cases

#### Standards and Certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN 12209: 2003



**Fire Safety:** Included in a successful fire test to BS EN 1634 Part 1: 2000. For use on a 1 hour fire door



**CE Marked:** Certificate: 1121-CPD-AG0068



**Certifire Approved Product:** Certificate CF530



**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"

#### Features

**Case** – mild steel/black powder coated finish, pierced to accept bolt through escutcheons with 38mm centres

**Backset** – 60mm


**Deadbolt** – zinc alloy single throw with 20mm projection (high copper content for additional strength)

**Forend and striking plates** available square or radius.

**Satin/polished stainless steel or polished brass forend and striking plate**  
5 year guarantee.



MHL 25.20



# Cavell - DIN Standard Architectural Mortice Latch

## MHL 25.21 Mortice Latch

### Standards and Certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN 12209: 2003



**Fire Safety:** Included in a successful fire test to BS EN 1634 Part 1: 2000. For use on a 1 hour fire door



**CE Marked:** Certificate: 1121-CPD-AG0070



**Certifire Approved Product:** Certificate CF530



**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"

### Features

**Case** – mild steel/black powder coated finish, pierced to accept bolt through furniture with 38mm centres

**Backset** – 60mm

**Latchbolt** – nickel plated solid brass guided latchbolt, easily reversible without opening case

**Follower** - 8mm zinc alloy follower (high copper content for additional strength) with spindle gripping feature

**Forend and striking plates** available square or radius


**Suitable** for sprung and most unsprung lever furniture

**Satin/polished stainless steel or polished brass forend and striking plate**

**5 year guarantee.**



**MHL 25.21**




# Cavell - DIN Standard Architectural Bathroom Lock

## MHL 25.22 Mortice Bathroom Lock

### Standards and Certification

- ✓ **Quality & Performance:** Successfully type tested to all the requirements of BS EN 12209: 2003
- 🔥 **Fire Safety:** Included in a successful fire test to BS EN 1634 Part 1: 2000. For use on a 1 hour fire door
- CE **CE Marked:** Certificate: 1121-CPD-AG0069

 **Certifire Approved Product:** Certificate CF530

 **Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"

### Features

**Case** – mild steel/black powder coated finish, pierced to accept bolt through furniture and escutcheons with 38mm centres

**Backset** – 60mm

**Centres** – 78mm

**Latchbolt** – nickel plated solid brass guided latchbolt, easily reversible without opening case

**Follower** – 8mm zinc alloy follower (high copper content for additional strength) with spindle gripping feature

Also supplied with 5mm spindle sleeve for 5mm turn spindles

**Deadbolt** – zinc alloy single throw with 20mm projection (high copper content for additional strength)


**Forend and striking plates** available square or radius

**Suitable** for sprung and most unsprung lever furniture

**Satin/polished stainless steel or polished brass forend and striking plate**  
5 year guarantee.



MHL 25.22





# Cavell - DIN Standard Architectural Mortice Lock Case

## MHL 25.23

### Euro Profile Mortice Escape Lock

#### Standards and Certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN 179 : 1998 A1 : 2001



**Fire Safety:** Included in a successful fire test to BS EN 1634 Part 1: 2000. Assessed for use on 1 hour fire doors



**CE Marked:** Declaration of conformity available on request



**Certifire Approved Product:** Certificate CF530



**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"

#### Application

Suitable for wooden doors hinged on either the right or left which require key operation externally with a single action escape function internally.

#### Features

**Case** – mild steel/black powder coated finish, pierced to accept bolt through furniture and escutcheons with 38mm centres

**Backset** – 60mm

**Centres** – 72mm

**Latchbolt** – nickel plated solid brass guided latchbolt, easily reversible without opening case

**Follower** – 8mm split follower with self locating plate to allow easy reversibility of the escape function. Follower made from sintered steel for additional strength and durability

**Deadbolt** – zinc alloy single throw with 20mm projection (high copper content for additional strength)

**Forend and bevelled striking plates** (for smooth operation) available square or radius

**Satin/polished stainless steel or polished brass forend and striking plate**

**Supplied with 100mm and 120mm split spindles for 30mins and 1 hour fire doors**

**5 year guarantee**

#### Operation

**Anti-thrust feature** means latchbolt is automatically deadlocked when door is closed, preventing card leverage

**Latch withdrawn by lever or key from outside**

**Deadbolt and latchbolt withdrawn simultaneously by internal lever handle**


**Latchbolt withdrawn by internal lever handle**

**Deadbolt withdrawn by cylinder key from outside**

**Escape mechanism easily reversed by moving self locating follower plate (no screws to be removed)**



MHL 25.23



# Cavell - DIN Standard Architectural Mortice Lock Case

## MHL 25.24

### Euro Profile Mortice Nightlatch Cases

#### Standards and Certification



**Quality & Performance:** Successfully type tested to all the requirements of BS EN 12209: 2003



**Fire Safety:** Included in a successful fire test to BS EN 1634 Part 1: 2000. For use on a 1 hour fire door



**CE Marked:** Certificate: 1121-CPD-AG0071



**Certifire Approved Product:** Certificate CF530



**Conformity Statement:** Meets the dimensional recommendations of BS8300 and Approved Document "M"

#### Features

**Case** – mild steel/black powder coated finish, pierced to accept bolt through furniture and escutcheons with 38mm centres

**Backset** – 60mm

**Centres** – 72mm

**Latchbolt** – nickel plated solid brass guided latchbolt, easily reversible without opening case

**Latchbolt withdrawn** by lever handle or key

**Follower** – 8mm zinc alloy follower (high copper content for additional strength) with spindle gripping feature

**Forend and striking plates** available square or radius


**Suitable** for sprung and most unsprung lever furniture

**Satin/polished stainless steel or polished brass forend and striking plate**

**5 year guarantee.**



MHL 25.24



# Mortice Locks — Oval Cylinder Range

## MORTICE SASH LOCK

### MHL 25.25

#### Mortice Lock

Sizes, mm: Depth 65 77.5 103  
Backset 44.5 57 82.5

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.25Reb.



MHL 25.25

## HORIZONTAL MORTICE LOCK

### MHL 25.26

#### Horizontal Mortice Lock

Sizes, mm: Depth 149  
Backset 129

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.26Reb.



MHL 25.26

## MORTICE DEADLOCK

### MHL 25.27

#### Mortice Deadlock

Sizes, mm: Depth 65 77.5 103  
Backset 44 57 82.5

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.27Reb.



MHL 25.27

## MORTICE ESCAPE LOCK

### MHL 25.28

#### Mortice Escape Deadlock

Sizes, mm: Depth 77.5  
Backset 57

Finishes: Satin Chrome, Polished Brass.

Operation: By key from outside and knob from other side.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.28Reb.



MHL 25.28

## MORTICE NIGHT LATCH

### MHL 25.29

#### Mortice Night Latch

Sizes, mm: Depth 65 77.5  
Backset 47.5 60

Finishes: Satin Chrome, Polished Brass.

Operation: By key from outside and knob from inside. Bolt can be retained in lock case by use of snib in forend.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.29Reb.



MHL 25.29

# Mortice Locks — Euro Cylinder Range

## MORTICE SASH LOCK

### MHL 25.30


#### Mortice Lock

Sizes, mm: Depth 65 77.5 103  
Backset 44.5 57 82.5

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.30Reb.

MHL 25.30



## HORIZONTAL MORTICE LOCK

### MHL 25.31

#### Horizontal Mortice Lock

Sizes, mm: Depth 149  
Backset 129

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.31Reb.

MHL 25.31



## MORTICE DEADLOCK

### MHL 25.32

#### Mortice Deadlock

Sizes, mm: Depth 65 77.5 103  
Backset 44 57 82.5

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.32Reb.

MHL 25.32



## MORTICE ESCAPE LOCK

### MHL 25.33

#### Mortice Escape Deadlock

Sizes, mm: Depth 77.5  
Backset 57

Finishes: Satin Chrome, Polished Brass.

Operation: By key from outside and knob from other side.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.33Reb.

MHL 25.33



## MORTICE NIGHT LATCH

### MHL 25.34

#### Mortice Night Latch


Sizes, mm: Depth 77.5  
Backset 57

Finishes: Satin Chrome, Polished Brass.

Operation: By key from outside and knob from inside. Bolt can be retained in lock case by use of snib in forend.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.34Reb.

MHL 25.34





# Cylinders


## ARCHITECTURAL RANGE (5-PIN) - OVAL

### MHL 25.35

#### Single Cylinder

Sizes: 40, 45 mm.

Finishes: Polished Brass, Satin Chrome,  
Polished Chrome.



MHL 25.35

### MHL 25.36

#### Double Cylinders

Sizes: 60, 70, 80 mm.

Finishes: Polished Brass, Satin Chrome,  
Polished Chrome.




MHL 25.36

### MHL 25.37

#### Cylinder & Turn

Sizes: 60, 70, 80 mm.

Finishes: Polished Brass, Satin Chrome,  
Polished Chrome.



MHL 25.37

## ARCHITECTURAL RANGE (5-PIN) - EURO

### MHL 25.38

#### Single Cylinder

Sizes: 40, 50 mm.

Finishes: Polished Brass, Satin Chrome,  
Polished Chrome.



MHL 25.38

### MHL 25.39

#### Double Cylinders

Sizes: 60, 70, 80 mm.

Finishes: Polished Brass, Satin Chrome,  
Polished Chrome.



MHL 25.39

### MHL 25.40

#### Cylinder & Turn

Sizes: 60, 70, 80 mm.

Finishes: Polished Brass, Satin Chrome,  
Polished Chrome.



MHL 25.40

# Classroom Cylinder

**IF IT'S A QUESTION OF SAFETY THE NEW CLASSROOM CYLINDER HAS THE ANSWER**



**MHL 25.41**

**MHL 25.41**

**Enhances security & increases safety.**

**Always operable to unlock from classroom side.**

**Impossible to lock door from classroom side.**

**Special thumbturn clutch assembly which unlocks door from outside even when turn is held.**

**Suitable for either left hand or right hand doors, clockwise or anti-clockwise operation.**

**Supplied as anti-clockwise unlocking but easily reversed on site with simple instructions.**

**Easily converted to full clutch cylinder which allows full function from inside.**

**Available keyed to differ, keyed alike or master keyed.**

**3 keys supplied with each cylinder as standard.**

**Sizes: 64, 70, 80 mm.**

**Finishes: Polished Brass, Satin Chrome, Polished Chrome.**



# Sliding Door Locks


## MHL 25.42

### Sliding Door Lock

Sizes, mm: Depth 77.5  
Backset 57

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.42Reb.



MHL 25.42

## MHL 25.43


### Cylinder Sliding Door Lock

Sizes, mm: Depth 77.5  
Backset 57

Finishes: Satin Chrome, Polished Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.43Reb.

Available Oval or Euro profile -  
Please specify when ordering



MHL 25.43


## MHL 25.44

### Sliding Door Latch

Sizes, mm: Depth 63.4 76  
Backset 44.4 54

Finishes: Satin Chrome, Polished Brass.

Latch supplied complete with furniture.



MHL 25.45


## MHL 25.45

### Sliding Door Latch with Locking Snib

Sizes, mm: Depth 63.4  
Backset 44

Finishes: Satin Chrome, Polished Brass.

Latch supplied complete with furniture  
including privacy locking snib.



MHL 25.46

## MHL 25.46

### Sliding Door Lock

Sizes, mm: Depth 76  
Backset 54.7

Finishes: Satin Chrome, Polished Brass.

Lock supplied complete with furniture.

# Mortice Locks — Budget Range

## MHL 25.47

### Tubular Latch

Sizes, mm:

Depth 63 77

Backset 44 57

Finishes: Bright Zinc, Electro-Brass.



MHL 25.47

## MHL 25.48

### 3-Lever Mortice Lock

Sizes, mm:

Depth 64 77

Backset 44 57

Finishes: Bright Zinc, Electro-Brass.



MHL 25.48

## MHL 25.49

### Bathroom Lock

Sizes, mm:

Depth 64 77

Backset 44 57

Finishes: Bright Zinc, Electro-Brass.



MHL 25.49

## MHL 25.50

### Heavy Sprung Tubular Latch

Sizes, mm:

Depth 65 78 103 128

Backset 44 57 82 107

Finishes: Satin Stainless Steel, Brass.



MHL 25.50

## MHL 25.51

### Tubular Dead Bolt

Sizes, mm:

Depth 76 103 127

Backset 57 82 108

Finishes: Satin Stainless Steel, Brass.



MHL 25.51



# Mortice Locks — Security Range

## CHUBB MORTICE DEADLOCKS

### MHL 25.52

#### 5-Lever Mortice Lock

Sizes, mm:

Depth 67 79

Backset 40 53

Finishes: Satin Chrome, Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.52Reb.



### MHL 25.53

#### 5-Detainer Mortice Lock


Sizes, mm:

Depth 73

Backset 44

Finishes: Satin Chrome, Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.53Reb.



### MHL 25.54

#### 5-Lever Mortice Lock

Sizes, mm:

Depth 55

Backset 36

Finishes: Satin Chrome, Brass.

Available with 13 mm rebate accessory pack, MHL 25.54Reb.



# Mortice Locks — Security Range

## CHUBB MORTICE LOCKS

### MHL 25.55

#### 5-Detainer Mortice Lock

Sizes, mm: Depth 73  
Backset 44

Finishes: Satin Chrome, Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.55Reb.

MHL 25.55



### MHL 25.56


#### 5-Lever Mortice Lock

Sizes, mm: Depth 67 79  
Backset 40 53

Finishes: Satin Chrome, Brass.

Available with 13, 19 or 25 mm rebate accessory pack, MHL 25.56Reb.

MHL 25.56



### MHL 25.57

#### 5-Detainer Mortice Locking Latch

Sizes, mm: Depth 80  
Backset 50

Finishes: Satin Chrome, Brass.

Available with 13, 19 or 25 mm rebate accessory pack. MHL 25.57Reb.

Variation: MHL 25.57X for Fire Escape Doors.

Furniture Available: SAA, Polished Brass and BMA.

MHL 25.57



### MHL 25.58

#### 5-Detainer Mortice Lock


Sizes, mm: Depth 162  
Backset 83

Backset – centre of spindle to handles, 67 mm.

Finish: Satin Chrome.

Available with 13 mm rebate.

MHL 25.58



# Rim Locks

## RIM LOCKS

### MHL 25.59

#### Rim Deadlock

Sizes, mm: Depth 108  
Backset 51

Differs: 10.

Finish: Black Japanned.



MHL 25.59

### MHL 25.60

#### Rim Deadlock

Sizes, mm: Depth 109.5 154.5  
Backset 51 76

Differs: 50.

Finish: Black Japanned.



MHL 25.60


### MHL 25.61

#### Rim Latch

Sizes, mm: Depth 98  
Backset 76

Differs: N/A

Finish: Black Japanned.



MHL 25.61

### MHL 25.62

#### Rim Lock

Sizes, mm: Depth 152.5  
Backset 114.5

Differs: 10.

Finish: Black Japanned.



MHL 25.62

### MHL 25.63

#### Rim Lock

Sizes, mm: Depth 139.5  
Backset 114.5

Differs: 10.

Finish: Black Japanned.



MHL 25.63

# British Standard Rim Nightlatches

## MHL 25.64

### British Standard Nightlatch

Kitemarked to BS 3621: 2007. Recommended by insurance companies.

This product has been approved by the Police Secured by Design initiative.

Key operation from the outside. Key and lever handle operation from the inside.

Internal lockable handle for increased security.

Latch automatically deadlocks on closing the door.

Snib function enables the latch to be held back.

20 mm bolt

Anti-carding

Includes 6 pin high performance cylinder

Size, mm:	Depth of Case	89	69
	Backset	60	40

Finishes: Brass, Chrome, Grey.



MHL 25.64

## MHL 25.65

### BS High Security Nightlatch

The High Security Nightlatch features an integral cylinder pull which protects the cylinder from being drilled.

The cylinder also has well over 30,000 cut key variations.

The Nightlatch also comes with a 20 mm bolt throw for greater security and strength. This product is ideally suited for glass panelled wooden doors, as it has been designed with an ergonomic internal lockable handle offering added security against forced entry.

The main lock bolt "automatically" deadlocks, this makes the use of a credit card to force entry virtually impossible. The bolt can also be held in the withdrawn position (only) with the use of the snib feature.

The BS High Security Nightlatch conforms to British Standard 3621: 2004 (BS EN 12209), and meets the tough criteria laid down by the insurance companies and the police.

Size, mm:	Depth of Case	90	70
	Backset	60	40

Finishes: Brass, Satin Chrome, Polished Chrome.



MHL 25.65



# New BS8621 Rim Nightlatches

## MHL 25.66

### Rim Nightlatch

The conflict between a secure British Standard accredited front door lock and fire safety recommendations has now been overcome thanks to ERA's new Emergency Escape Range.

The new BS 8621: 2004 standard mirrors the BS 3621: 2004 but is for 'escape locks' classified as providing keyless egress at all times. This is essential to meet the requirements set out for 'escape locks' and applies when there is a requirement for an easy action method of opening an external door from the inside with no need for keys or similar devices for unlocking. It is especially relevant for entrance doors in multi-residential buildings and is widely specified as a requirement by architects.

Their new BS 8621: 2004 Nightlatch offers all the enhanced security of the updated BS 3621: 2004 standard but with a keyless lever on the inside of the door to ensure quick escape is possible in the event of a fire. It is available in a narrow 40mm size and a standard 60mm size in brass effect, satin chrome effect, polished chrome effect or satin nickel finish, and offers a deadlock facility to prevent intruders gaining access using a credit card.

Size, mm:	Depth of Case	90	70
	Backset	60	40

Finishes: Brass, Satin Chrome, Polished Chrome.



The NHBC Standards have called for such locks for many years. Insurance companies that can see no further than Kitemarked locks will also have a lock that meets this and gives the keyless egress that the Fire Brigade, NHBC and others have been requesting for years.

# Rim Nightlatches

## MHL 25.67

### Rim Nightlatch

#### Operation:

Bolt withdrawn by key from outside and lever from inside.

The bolt may be held in either the locked or with-drawn position by means of the thumb slide.

Sizes, mm:	Depth of Case	60	76	92.5
	Backset	40	50	60



## MHL 25.68

### Rim Nightlatch

#### Operation:

Bolt withdrawn by key from outside and lever from inside.

The bolt may be held in either the locked or with-drawn position by means of the thumb slide.

When door is closed the bolt is automatically locked against end pressure by anti-thrust slide. By turning the key a full revolution the lever is deadlocked.

Sizes, mm:	Depth of Case	60
	Backset	40



## MHL 25.69

### Rim Nightlatch


#### Operation:

Bolt withdrawn by key from outside and lever from inside.

The bolt may be held in either the locked or with-drawn position by pressing the thumb button.

When door is closed the bolt is automatically locked against end pressure by anti-thrust slide. By turning the key a full revolution anti-clockwise the lever is deadlocked.

Sizes, mm:	Depth of Case	92.5
	Backset	60



## MHL 25.70

### Rim Nightlatch

#### Operation:

Bolt withdrawn by key from outside and lever from inside.

The bolt may be held in either the locked or with-drawn position by means of the thumb slide. By turning the key a full revolution anti-clockwise the lever and latchbolt are deadlocked.

Sizes, mm:	Depth of Case	60	92.5
	Backset	40	60



Finishes for All Above Locks: Case and Staple – White Enamel, Brass Plated and Chrome  
Cylinder – Satin Chrome, Polished Brass.

# Rim Nightlatches

## MHL 25.71

### Rim Drawback Lock


#### Operation:

The deadbolt is double thrown, locked or unlocked by key from either side.

The latchbolt is withdrawn by key outside and handle inside.

The latchbolt may be held in by rotating handle.

Sizes, mm:	Depth of Case	73	92
	Backset	50	60



MHL 25.71

## MHL 25.72

### Security Rim Nightlatch

#### Operation:

Bolt is withdrawn by key from outside and knob from inside, unless knob is locked by key. Knob can be locked by one revolution of key in its normal or rotated position. When knob is locked whilst in rotated position, the bolt is held withdrawn.

Bolt may be snibbed in withdrawn position. When door is closed, bolt is locked against end pressure by the anti-thrust slide.

Sizes, mm:	Depth of Case	65	85
	Backset	40	60



MHL 25.72


## MHL 25.73

### Security Cylinder Deadlock

#### Operation:

Bolt is locked or unlocked by key outside and handle inside.

Sizes, mm:	Depth of Case	92.5
	Backset	60



MHL 25.73

## MHL 25.74


### Security Cylinder Roller Bolt

#### Operation:

Roller bolt operates with a simple push/pull action.

Roller bolt may be locked or withdrawn by key outside and handle inside.

Sizes, mm:	Depth of Case	92.5
	Backset	60



MHL 25.74

Finishes for All Above Locks: Case and Staple – White Enamel, Brass Plated and Chrome  
Cylinder – Satin Chrome, Polished Brass.

# Rim Nightlatches

## MHL 25.75

### Rim Nightlatch

#### Operation:

By key from outside, lever handle from inside. Bolt can be held back by slide button or locked in with-drawn position by a turn of the key in the lever handle. Bolt automatically deadlocked against end pressure when door is closed. Lever handle can be locked prior to closing door, and entry can always be effected by key from outside cylinder.

Sizes, mm:	Depth of Case	92	60
	Backset	60	40

Finishes: Case and Staple – Polished Chrome, Brasslux.

Cylinder – Satin Chrome, Polished Brass.



MHL 25.75

## MHL 25.76

### Rim Roller Bolt Nightlatch

#### Operation:

Roller bolt is deadlocked by key outside and knob inside. When not deadlocked, roller provides push/pull action.

Sizes, mm:	Depth of Case	92
	Backset	60

Finishes: Case and Staple – Grey.

Cylinder – Satin Chrome, Polished Brass.



MHL 25.76

## MHL 25.77

### Rim Deadlock

#### Operation:

By key from outside and knob from inside.

Sizes, mm:	Depth of Case	92
	Backset	60

Finishes: Case and Staple – Grey.

Cylinder – Satin Chrome, Polished Brass.



MHL 25.77

## MHL 25.78

### Rim Nightlatch

#### Operation:

By key from outside, by knob from inside; can be deadlocked inside by snib only.

Sizes, mm:	Depth of Case	92	60
	Backset	60	40

Finishes: Case and Staple – Grey. Polished Chrome, Brasslux.

Cylinder – Satin Chrome, Polished Brass.



MHL 25.78



# Rim Nightlatches

## MHL 25.79

### Chubb Guardian

#### Operation:


Slam action nightlatch conforming to BS3621. Operated by key from outside and knob from inside. Inside handle can be locked from the inside.

Size, mm: Backset 60

Finish: Brasslux.



MHL 25.79



## MHL 25.80

### Rim Nightlatch

#### Operation:

Two-bolt lock incorporating both a normal latch action bolt and a separate extra long throw hacksaw resistant bolt which can be deadlocked in two positions from both outside and inside by turn of the key.

Sizes, mm: Backset 60 50

Finishes: Champagne or Brass with Brass Cylinder.



MHL 25.80



## MHL 25.81

### Rim Nightlatch

#### Operation:

Operated by key from outside and by lever from inside.


Latchbolt deadlocks in the shut position. Inside handle can be locked by a turn of the key from the outside.

Sizes, mm: Backset 60 40

Finishes: Champagne, White or Brass with Brass Cylinder.



MHL 25.81



## MHL 25.82

### Rim Nightlatch

#### Operation:

Operated by key from outside and by lever from inside. Inside handle can be deadlocked from the inside. Automatic deadlocking.

Sizes, mm: Backset 60 40

Finishes: Champagne, White or Brass with Brass Cylinder.



MHL 25.82



## MHL 25.83

### 10-Lever Rim Nightlatch

#### Operation:

Operated by key from outside and lever from inside. Inside handle can be locked by turn of key from the outside. Automatic deadlocking. Key registration service for added security.

Size, mm: Backset 60

Finishes: Polished Brass, Satin Chrome, Polished Chrome.

Variation: MHL 25.83FE as above but without facility to deadlock inside handle. Suitable for fire escape doors.



MHL 25.83





# Knobsets



## HALF DUMMY

**MHL 25.84**

Bolt through fixing.

Operation:

Does not turn or perform a function other than for decorative purposes or as a pull.

Finishes: Satin Stainless Steel, Brass.

MHL 25.84



## PASSAGE

**MHL 25.85**

Operation:

Latch bolt operated by knob from either side, both knobs always free.

Finishes: Satin Stainless Steel, Brass.

MHL 25.85



## PRIVACY

**MHL 25.86**

Operation:

Turn button locking inside; knob with emergency release opening outside.

Finishes: Satin Stainless Steel, Brass.

MHL 25.86



## ENTRANCE


**MHL 25.87**

Operation:

Both knobs locked or unlocked by key outside or turn button inside.

Finishes: Satin Stainless Steel, Brass.

MHL 25.87



# Access Control

## MHL 25.88 Series

### Application

The MHL 25.88 Series lock provides fully mechanical pushbutton access control with no electrical wiring, electronics, or batteries. Exterior access is by combination. Egress is by interior lever and is free at all times. The lock meets Americans with Disabilities Act (ADA) standards.

MHL 25.88 Series locksets are ideal for limiting access to high-traffic, security-sensitive areas in commercial, institutional, residential, and industrial buildings. These locks are perfect for locations with a high personnel turnover rate such as data processing centres, employee entrances, R&D labs, apartments, dormitories, and restricted areas in hospitals and airports.

The pushbutton design eliminates problems associated with the issue, control, and collection of keys and magnetic cards. The combination can be quickly and easily changed to ensure continued maximum security once employees, tenants, or guests leave, saving the cost of new keys, key cylinders, magnetic cards, and card-encoding devices.





### Features

Heavy Duty - ANSI 156.2 Grade 1  
High Usage  
Optional Passage set  
Optional Key Override  
Optional Lockout  
Deadlocking Cylinder Latch  
Factory Handed Non-Field Reversible  
70mm (2 3/4") Backset  
35 to 57mm (1 3/8" to 2 1/4") Door Thickness  
Satin Chrome and Brass Finishes  
ADA Compliant  
Simple On Door Code Change  
Lever Handle

PRODUCT REF	DESCRIPTION	FINISH
MHL 25.88-1-PB-LH	Digital Lock Standard	Polished Brass
MHL 25.88-1-PB-RH	Digital Lock Standard	Polished Brass
MHL 25.88-1-SC-LH	Digital Lock Standard	Satin Chrome
MHL 25.88-1-SC-RH	Digital Lock Standard	Satin Chrome
MHL 25.88-2-SC-LH	Digital Lock Key Bypass	Satin Chrome
MHL 25.88-2-SC-RH	Digital Lock Key Bypass	Satin Chrome
MHL 25.88-3-SC-LH	Digital Lock Passage Set	Satin Chrome
MHL 25.88-3-SC-RH	Digital Lock Passage Set	Satin Chrome
MHL 25.88-4-SC-RH	Digital Lock Key Bypass / Passage	Satin Chrome
MHL 25.88-4-SC-LH	Digital Lock Key Bypass / Passage	Satin Chrome



MHL 25.88



# Access Control

## MHL 25.89 Series

### Application

The MHL 25.89 Series lock provides fully mechanical pushbutton access control with no electrical wiring, electronics, or batteries. Exterior access is by combination. Egress is by interior knob and is free at all times.

MHL 25.89 Series locksets are the best choice for limiting access to high-traffic, security-sensitive areas in commercial, institutional, residential, and industrial buildings. These locks are ideal for locations with a high personnel turnover rate such as data processing centres, employee entrances, R&D labs, apartments, dormitories, and restricted areas in hospitals and airports.

The pushbutton design eliminates problems associated with the issue, control, and collection of keys and magnetic cards. The combination can be quickly and easily changed to ensure continued maximum security once employees, tenants, or guests leave, saving the cost of new keys, key cylinders, magnetic cards, and card-encoding devices.

### Features

Heavy Duty - ANSI 156.2 Grade 1

High Usage

Optional Passage set

Optional Key Override

Deadlocking Cylinder Latch

Knob Handle

Non-Handed Field Reversible

70mm (2 3/4") Backset

35 to 57mm (1 3/8" to 2 1/4") Door Thickness

Satin Chrome and Brass Finishes


Simple On Door Code Change

PRODUCT REF	DESCRIPTION	FINISH
MHL 25.89-1-PB	Digital Lock Standard	Polished Brass
MHL 25.89-1-SC	Digital Lock Standard	Satin Chrome
MHL 25.89-2-PB	Digital Lock Key Bypass	Polished Brass
MHL 25.89-2-SC	Digital Lock Key Bypass	Satin Chrome
MHL 25.89-3-PB	Digital Lock Passage Set	Polished Brass
MHL 25.89-3-SC	Digital Lock Passage Set	Satin Chrome
MHL 25.89-4-PB	Digital Lock Key Bypass / Passage	Polished Brass
MHL 25.89-4-SC	Digital Lock Key Bypass / Passage	Satin Chrome
MHL 25.89-21	95mm Latch Extension	
MHL 25.89-19	127mm Latch Extension	
MHL 25.89-99-BL	Spy Shield	




MHL 25.89

Exterior



Interior



# Access Control

## MHL 25.90 Series

### Application

The MHL 25.90 Series Simplex® auxiliary lockset provides fully mechanical pushbutton access control with no electrical wiring, electronics, or batteries. Exterior access is by combination. Egress is by interior thumb turn and is free at all times. Deadbolt models are manually relocking. Deadlocking spring latch models automatically relock each time the door closes, with standard latch holdback.

MHL 25.90 Series locksets are suitable for commercial or residential applications.

The pushbutton design eliminates problems associated with the issue, control, and collection of keys and magnetic cards. The combination can be quickly and easily changed to ensure continued maximum security once employees, tenants, or guests leave, saving the cost of new keys, key cylinders, magnetic cards, and card-encoding devices. The combination is changed without removing the lock from the door.

### Features

Light Commercial & Residential Lock

All Metal Cast Front

Forceproof Clutch Thumbturn

Optional Manual Deadbolt or Auto Deadlocking Latch

35 to 54mm (1 3/8" to 2 1/8") Door Thickness

Backset 65mm (2 9/16") Out-swing Doors


Backset 64mm (2 1/2") In-swing Doors

Field Reversible Handing, Invert Lock for RH Doors

Satin Brass or Satin Chrome Finishes



Simple On Door Code Change

PRODUCT REF	DESCRIPTION	FINISH
MHL 25.90-1-SB	Digital Lock & Rim Deadbolt	Satin Brass
MHL 25.90-1-SC	Digital Lock & Rim Deadbolt	Satin Chrome
MHL 25.90-2-SB	Digital Deadlocking Nightlatch	Satin Brass
MHL 25.90-2-SC	Digital Deadlocking Nightlatch	Satin Chrome




MHL 25.90

### Exterior



### Interior



# Access Control

## MHL 25.91 Series

### Application

The MHL 25.91 Series lockset provides fully mechanical primary or auxiliary pushbutton access control with no electrical wiring, electronics, or batteries. Exterior access is by combination. Egress is by interior thumbturn and is free at all times. Deadbolt models are manually relocking. Deadlocking latch models automatically relock each time the door closes.

MHL 25.91 Series locksets are suitable for residential or light commercial applications. The streamlined housing with integrated pull makes the lock ideal for front and rear doors, garages, conference rooms, offices, utility rooms and workshops. Mounts above existing lockset, or can be used alone.

The pushbutton design eliminates problems associated with the issue, control, and collection of keys and magnetic cards. The combination can be quickly and easily changed to ensure continued maximum security once employees, tenants, or guests leave, saving the cost of new keys, key cylinders, magnetic cards, and card-encoding devices. The combination is changed without removing the lock from the door.

### Features

Light Commercial & Residential Lock

All Metal Cast Front

Forceproof Clutch Thumbturn

Optional Manual Deadbolt or Auto Deadlocking Latch

Optional Deadlocking Rim Nightlatch

Backset 60 or 70mm (2 3/8" or 2 3/4")

35 to 57mm (1 3/8" to 2 1/4") Door Thickness

Non Handed


Satin Chrome and Polished Brass Finishes (Not 25.91-2)

Simple On Door Code Change

PRODUCT REF	DESCRIPTION	FINISH
MHL 25.91-1-PB	Digital Lock	Polished Brass
MHL 25.91-1-SC	Digital Lock	Satin Chrome
MHL 25.91-2-BL	Digital Lock & Rim Deadlock Latch	Black
MHL 25.91-2-SCBL	Digital Lock & Rim Deadlock Latch	Satin Chrome / Black



MHL 25.91





# Access Control

## **NARROW STILE LOCK MHL 25.92**

The MHL 25.92 narrow stile lock is a medium duty mechanical codelock suitable for use with aluminium doors. The lock is ideal for new or retrofit applications.

Designed to be retrofitted to Adams Rite or similar style mortice latch locks.

The new narrow stile mechanical Codelock provides access control in the following ways -

### **Features**

By code via the keypad

By key which can override the code and retract the latch

The key can also be used to lock out code users

Non Handed - suitable for left or right hand hung doors, makes ordering / fitting very simple

Full size lever handles standard, ball shape knobs available

Easy installation

PVD Stainless Steel finish

Includes cams and fixing tabs

Available in Stainless Steel

**Please note Adams Rite Lock to be ordered separately**



**MHL 25.92**

# Access Control

## MHL 25.93 Series

### Application

The MHL 25.93 Series lock provides fully mechanical pushbutton access control for narrow stile aluminium doors, with no electrical wiring, electronics, or batteries. Exterior access is by combination or key override. Egress is by Adams Rite hardware and is free at all times.

The MHL 25.93 Series lock is designed for use with Adams Rite 4510/4710 latch mechanisms and most Adams Rite egress hardware. Any standard mortice cylinder that operates the Adams Rite latch will function with an MHL 25.93 Series lock. Key cylinders, cylinder trim rings, mortice latches, and egress hardware are not provided.

MHL 25.93 Series locks are ideal for limiting access to high traffic, security sensitive areas in commercial, institutional, government and industrial buildings. These locks are perfect for locations with a high personnel turnover rate such as data processing centres, employee entrances, R&D labs, apartments, dormitories and restricted areas in hospitals and airports.

The pushbutton design eliminates problems associated with the issue, control, and collection of keys and magnetic cards. The combination can be quickly and easily changed to ensure continued security once employees, tenants, or guests leave, saving the cost of new keys, cylinders, magnetic cards and card-encoding devices. The combination is changed without removing the lock from the door.

### Features

Designed for Narrow Stile Aluminium Doors  
In or Out Swing doors

Uses Adams Rite 4510/4710 Mortice Lock

Uses Standard Adams Rite Exit Hardware

Key Override, Lockout and Passage Features

Stile minimum width 48mm (1 3/4") Required

Stile maximum thickness 44mm (1 3/4")

Backset 28mm

Requires Factory Handed Drive Mechanism

Satin Chrome Finish



Simple On Door Code Change

PRODUCT REF	DESCRIPTION
MHL 25.93-1-SC	Combination Lock Housing
MHL 25.93-20-LH-28	28mm Drive Assembly Left Hand
MHL 25.93-10-RH-28	28mm Drive Assembly Right Hand

FINISH  
Satin Chrome



MHL 25.93



# Access Control

## **CABINET LOCK** **MHL 25.94**

The MHL 25.94 Cabinet Lock opens up the possibilities for electronic access control.

This simple electronic lock is an easy quick retrofit for cam locks supplied as standard on a wide range of lockers, cabinets and cupboards.

It can easily be fitted to lockers or cabinets, which don't have a locking device already fitted, giving the user immediate and simple keypad access without the need for keys.

Fit in schools, hospitals, care homes, nurseries, offices, home and workplace.

### **Features**

Simple 10 button keypad

All codes are 4 digits long

Battery power


All parts / fixing / templates included

Quick retrofit for cam locks

Fit to units that do not have an existing lock

Operating instructions included

Silver Grey Finish.



**MHL 25.94**

## **CODELOCK** **MHL 25.95**

Push button mechanical locks, ideal for restricting access for low usage doors i.e. stock cupboards, staff toilets, your office... the list goes on.

### **Features**

Fully mechanical

Easy to fit, with all parts and fixings included

5 Functions in 2 PVD finishes

Suitable for internal and external use

Code can be changed quickly, as required

Over 8,000 codes to choose from

Available in Stainless Steel or Polished Brass Finish.



**MHL 25.95**

# Access Control

## **CODELOCK MHL 25.96**

The MHL 25.96 series is a medium duty mechanical combination lock with full size lever handles. The lever handles allow it to be used where the knob operated push button lock is unsuitable.

### **Features**

Medium duty CodeLock

PVD, weather resistant, low maintenance finish

Full size lever handles

Outside lever has a slipping clutch to avoid damage to the mechanism if forced

Easy code change as often as required

Back to back option

Available in Stainless Steel or Polished Brass Finish



**MHL 25.96**

## **CODELOCK MHL 25.97**

The MHL 25.97 series push button lock is a heavy duty mechanically coded lock with full size lever handles for use in high traffic situations. The lever handles allow it to be used as the primary lock on most doors, whilst the functions provide for control of the door in various ways.

### **Features**

Heavy duty push button lock

PVD, weather resistant, low maintenance finish

Full size lever handles

Outside lever has a slipping clutch to avoid damage to the mechanism if forced

Easy code change as often as required

Back to back option

Available in Stainless Steel or Polished Brass Finish



**MHL 25.97**

**Also available for use with Panic Hardware please refer to Section 5 Page 14.**


# Cupboard Locks

## MHL 25.98

### Cylinder Cut Cupboard / Drawer Lock

#### Operation:

For wood doors or drawers, 4 pin tumbler mechanism. Cylinder rotates to produce either a drawer lock or a right or left hand cupboard lock. To suit doors or drawers up to 23mm maximum material thickness. The bolt is locked or unlocked by the key.



MHL 25.98




## MHL 25.99


### Cylinder Cut Cupboard / Till Lock

#### Operation:

For wood doors or tills. 4 pin tumbler mechanism. Cylinder rotates to produce either a till lock or a right or left hand cupboard lock. To suit doors or tills up to 23mm maximum material thickness. The door or till closes and the bolt is operated automatically. The bolt is withdrawn by the key.



MHL 25.99





## MHL 25.100

### Cylinder Cupboard / Drawer Lock

#### Operation:

For wood doors or drawers. 4 pin tumbler mechanism. Cylinder rotates to produce either a drawer lock or a right or left hand cupboard lock.

To suit doors or drawers up to 12.5mm maximum material thickness. The bolt is locked or unlocked by the key.



MHL 25.100




## MHL 25.101

### Cylinder Cupboard / Till Lock


#### Operation:

For wood doors or tills. 4 pin tumbler mechanism. Cylinder rotates to produce either a till lock or a right or left hand cupboard lock. To suit doors or tills of 12.5mm maximum material thickness.

The door or till closes and the bolt is operated automatically. The bolt is withdrawn by the key.



MHL 25.101





# Cupboard Locks

## MHL 25.102

### Cupboard Lock

Size: 76 mm.

Cylinder Projection: 16 mm.

Cylinder Diameter: 22 mm.



MHL 25.102


## MHL 25.103

### Straight Cupboard Lock

Sizes: 50, 65, 75 mm.

Levers: 1 or 2.

Finish: Brass.



MHL 25.103


## MHL 25.104

### Drawer Lock

Sizes: 51, 64, 76 mm.

Levers: 1 or 2.

Finish: Brass.



MHL 25.104



## MHL 25.105

### Locker Lock

Size: 44.5 mm.

Cylinder Projection: 6 mm, 22 mm.

Cylinder Diameter: 16 mm.



MHL 25.105

## MHL 25.106

### Cam Lock

Sizes: 16, 19, 22, 27 mm.



MHL 25.106

# Cupboard and Door Catches

## MHL 25.107

### Adjustable Roller Catch

Size: 43 mm depth.

Finishes: Nickel Plate, Electro Brassed.



MHL 25.107

## MHL 25.108

### Roller Latch

Size: 51 mm depth.

Finishes: Polished Brass,  
Satin Stainless Steel.



MHL 25.108

## MHL 25.109

### Roller Bolt

Size: 65 mm depth.

Finishes: Polished Brass,  
Polished Stainless Steel,  
Satin Chrome.



MHL 25.109

## MHL 25.110

### Touch Latch

Finish: BZP.



MHL 25.110

## MHL 25.111

### Double Ball Catch

Sizes: 43, 50 mm.

Finishes: Brass, Satin Chrome.



MHL 25.111

# Cupboard and Door Catches

## MHL 25.112

### Bales Catch

Sizes: 13, 16, 19 mm depth.

Finish: Brass.



MHL 25.112


## MHL 25.113

### Magnetic Catch

MHL 25.113a - Single - 4kg Retaining Force

MHL 25.113b - Double - 8kg Retaining Force

Finishes: White, Brown.



MHL 25.113a



MHL 25.113b


## MHL 25.114

### Easy Keep Latch

Fire Test Certificate BS476:  
Part 22: 1987

Size: 63 mm x 40 mm.

Finish: Bright Zinc Plate.




MHL 25.114

## MHL 25.115

### Counter Flap Catch

Finishes: Polished Brass, Satin Chrome.



MHL 25.115