### MHL 35.01

### Lever on Round Rose Ø 19mm

### Standards and Certification

Successfully type tested to all the requirements of BS EN1906: 2002.

Test reports/certificates are available on request.


#### **Features**

Supplied with both bolt through and wood screw fixings. Nylon understructure -4 point fixing. Supplied with 100mm split profile spindle. Suitable for 40mm to 47mm door thickness.

PRODUCT REF DESCRIPTION FINISH
MHL 35.01-1 Sprung lever on rose SAA
MHL 35.01-2 Unsprung lever on rose SAA



MHL 35.01



### MHL 35.02

### Lever on Round Rose

### Standards and Certification

Successfully type tested to all the requirements of BS EN1906: 2002.

Test reports/certificates are available on request.


#### **Features**

Supplied with both bolt through and wood screw fixings. Nylon understructure -4 point fixing. Supplied with 100mm split profile spindle. Suitable for 40mm to 47mm door thickness.

PRODUCT REF DESCRIPTION FINISH
MHL 35.02-1 Sprung lever on rose SAA
MHL 35.02-2 Unsprung lever on rose SAA



MHL 35.02



### MHL 35.03

### Lever on Round Rose

### Standards and Certification

Successfully type tested to all the requirements of BS EN1906: 2002.

Test reports/certificates are available on request.

Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"




Supplied with both bolt through and wood screw fixings. Nylon understructure -4 point fixing. Supplied with 100mm split profile spindle. Suitable for 40mm to 47mm door thickness.

PRODUCT REF DESCRIPTION FINISH
MHL 35.03-1 Sprung lever on rose SAA
MHL 35.03-2 Unsprung lever on rose SAA



MHL 35.03



### MHL 35.04

### Lever on Round Rose Ø 19mm

### Standards and Certification

Successfully type tested to all the requirements of BS EN1906: 2002.

Test reports/certificates are available on request.

Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"


### **Features**

Supplied with both bolt through and wood screw fixings. Nylon understructure -4 point fixing. Supplied with 100mm split profile spindle. Suitable for 40mm to 47mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.04-1	Sprung lever on rose	SAA
MHL 35.04-2	Unsprung lever on rose	SAA
MHL 35.04-3	Unsprung lever on rose to suit ASSA lock cases	SAA



MHL 35.04



### Lever on Round Rose Ø 19mm – Half Set

### Standards and Certification

PSA MOB H3 (July 1989). 1/2 hour fire tested to BS476 part 22 (1987)

#### **Features**

Nylon understructure - 4 point fixing. Supplied with 8mm x 60mm half spindle.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.04-4 LH	1/2 Set sprung lever on rose – Left hand	SAA
MHL 35.04-4 RH	1/2 Set sprung lever on rose - Right hand	SAA

### MHL 35.05

### Lever on Round Rose Ø 22mm

### Standards and Certification

Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"


### **Features**

Supplied with both bolt through and wood screw fixings. Nylon understructure -4 point fixing. Supplied with 100mm split profile spindle. Suitable for 40mm to 47mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.05-1	Sprung lever on rose	SAA
MHL 35.05-2	Unsprung lever on rose	SAA
MHL 35.05-3	Unsprung lever on rose to suit ASSA lock cases	SAA



MHL 35.05



### Lever on Round Rose Ø 22mm - Half Set

Standards and Certification

PSA MOB H3 (July 1989), 1/2 hour fire tested to BS476 part 22 (1987)

### **Features**

Supplied with 8mm x 60mm half spindle. Nylon understructure – 4 point fixture.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.05-4 LH	1/2 Set sprung lever on rose - Left hand	SAA
MHL 35.05-4 RH	1/2 Set sprung lever on rose - Right hand	SAA

### MHL 35.06

### Lever on Concealed Fix Rectangular Plate (sprung) Ø 19mm

### Standards and Certification


Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"

Supplied with 8mm x 105mm full profile spindle, Supplied complete with bolt through fixings, Suitable for 41mm to 50mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.06-11	Long plate latch furniture	SAA
MHL 35.06-12	Lock furniture	SAA
MHL 35.06-13	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.06-13GU	Euro profile lock furniture for Guardian 51mm centres	SAA
MHL 35.06-13-ESCAPE	Euro profile lock furniture for split follower lock 47.6mm centres	SAA
MHL 35.06-14	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.06-15	Bathroom furniture 57mm centres	SAA



MHL 35.06



### MHL 35.07

### Lever on Concealed Fix Rectangular Plate (sprung) Ø 22mm


### Standards and Certification





Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"


Supplied with 8mm x 105mm full profile spindle, Supplied complete with bolt through fixings, Suitable for 41mm to 50mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.07-11	Long plate latch furniture	SAA
MHL 35.07-12	Lock furniture	SAA
MHL 35.07-13	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.07-13GU	Euro profile lock furniture for Guardian 51mm centres	SAA
MHL 35.07-13-ESCAPE	Euro profile lock furniture for split follower lock 47.6mm centres	SAA
MHL 35.07-14	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.07-15	Bathroom furniture 57mm centres	SAA









### MHL 35.08

### Lever on Concealed Fix Radius Plate (sprung) Ø 19mm Standards and Certification

Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"


### **Features**

Supplied with 8mm x 105mm full profile spindle, Supplied complete with bolt through fixings, Suitable for 41mm to 50mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.08-31	Long plate latch furniture	SAA
MHL 35.08-32	Lock furniture	SAA
MHL 35.08-33	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.08-33GU	Euro profile lock furniture for Guardian 51mm centres	SAA
MHL 35.08-33-ESCAPE	Euro profile lock furniture for split follower lock 47.6mm centres	SAA
MHL 35.08-33-72	Euro profile lock furniture 72mm centres	SAA
MHL 35.08-34	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.08-35	Bathroom furniture 57mm centres	SAA



MHL 35.08



### MHL 35.09

### Lever on Concealed Fix Radius Plate (sprung) Ø 22mm


Standards and Certification


Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"


### **Features**


Supplied with 8mm x 105mm full profile spindle, Supplied complete with bolt through fixings. Suitable for 40mm to 50mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.09-31	Long plate latch furniture	SAA
MHL 35.09-32	Lock furniture	SAA
MHL 35.09-33	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.09-33GU	Euro profile lock furniture for Guardian 51mm	SAA
	centres	
MHL 35.09-33-ESCAPE	Euro profile lock furniture for split follower lock	SAA
	47.6mm centres	
MHL 35.09-34	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.09-35	Bathroom furniture 57mm centres	SAA









### MHL 35.10

# Lever on 160mm x 64mm Face Fix Plate (sprung) Ø 19mm


### **Features**

Supplied with 8mm x 100mm split profile spindle, Suitable for 40mm to 60mm door thickness

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.10-21	Latch furniture	SAA
MHL 35.10-22	Lock furniture	SAA
MHL 35.10-23	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.10-23-ESCAPE	Euro profile lock furniture for split follower lock	SAA
	47.6mm centres	
MHL 35.10-24	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.10-25-LH	Bathroom furniture - Left hand 57mm centres	SAA
MHL 35.10-25-RH	Bathroom furniture - Right hand 57mm centres	SAA



MHL 35.10




### MHL 35.11

### Lever on 160mm x 64mm Face Fix Plate (unsprung) Ø 19mm


### **Features**

Supplied with 8mm x 100mm split profile spindle, Suitable for 40mm to 60mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.11-21	Latch furniture	SAA
MHL 35.11-22	Lock furniture	SAA
MHL 35.11-23	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.11-24	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.11-25	Bathroom furniture 57mm centres	SAA




LATCH







right hand illustrated



### MHL 35.12

# Lever on 160mm x 64mm Face Fix Plate (unsprung) Ø 22mm

### **Features**

Supplied with 8mm x 100mm split profile spindle, Suitable for 38mm to 57mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.12-21	Latch furniture	SAA
MHL 35.12-22	Lock furniture	SAA
MHL 35.12-23	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.12-24	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.12-25	Bathroom furniture 57mm centres	SAA

### MHL 35.13

### Lever on 160mm x 160mm Face Fix Plate (sprung) Ø 19mm


### **Features**

Supplied with 8mm x 105mm full profile spindle, Suitable for 40mm to 60mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.13-16	Latch furniture	SAA
MAL 35.13-17	Lock furniture	SAA
MHL 35.13-18	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.13-18GU	Euro profile lock furniture for Guardian 51mm centres	SAA
MHL 35.13-18-ESCAPE	Euro profile lock furniture for split follower lock 47.6mm centres	SAA
MHL 35.13-19	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.13-20-LH	Bathroom furniture – Left hand 57mm centres	SAA
MHL 35.13-20-RH	Bathroom furniture - Right hand 57mm centres	SAA



MHL 35.13




### MHL 35.14


# Lever on 160mm x 160mm Face Fix Plate (unsprung) Ø 19mm

### **Features**


Supplied with 8mm x 105mm full profile spindle, Suitable for 40mm to 60mm door


PRODUCT REF	DESCRIPTION	FINISH
MHL 35.14-16	Latch furniture	SAA
MHL 35.14-17	Lock furniture	SAA
MHL 35.14-18	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.14-19	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.14-20-LH	Bathroom furniture - Left hand 57mm centres	SAA
MHL 35.14-20-RH	Bathroom furniture - Right hand 57mm centres	SAA











### Finish: Satin Anodised Aluminium (SAA).

### MHL 35.15

# Lever on 160mm x 160mm Face Fix Plate (unsprung) Ø 22mm

### **Features**

Supplied with 8mm x 100mm split profile spindle, Suitable for 38mm to 57mm door thickness.

mickness.		
PRODUCT REF	DESCRIPTION	FINISH
MHL 35.15-16	Latch furniture	SAA
MHL 35.15-17	Lock furniture	SAA
MHL 35.15-18	Euro profile lock furniture 47.6mm centres	SAA
MHL 35.15-19	Oval profile lock furniture 48.5mm centres	SAA
MHL 35.15-20-LH	Bathroom furniture - Left hand 57mm centres	SAA
MHL 35.15-20-RH	Bathroom furniture - Right hand 57mm centres	SAA

# Cavell Suite - Escutcheons, Indicators & Turns - Aluminium

### MHL 35.16

### **Concealed Fix Escutcheons**

Ø 52mm with 38mm fixing centres, 2 point screw fixing, Nylon internal rose.

DESCRIPTION	FINISH
Lever key escutcheon (pair)	SAA
Euro profile escutcheon (pair)	SAA
Oval profile escutcheon (pair)	SAA
Blank escutcheon (pair)	SAA
	Lever key escutcheon (pair) Euro profile escutcheon (pair) Oval profile escutcheon (pair)





MHL 35.16

MHL 35.16











### MHL 35.17

### **Bathroom Turn and Indicator**

 $\emptyset$  52mm with 38mm fixing centres, 5mm spindle, 2 point screw fixing, Nylon internal rose.


PRODUCT REF DESCRIPTION FINISH
MHL 35.17-29 Bathroom turn and indicator SAA
MHL 35.17-SLEEUE Spindle sleeve pack – to adapt 5mm spindle

to 6, 7 or 8mm





MHL 35.17





### MHL 35.18

### Disabled Bathroom Turn and Indicator


5mm spindle.

PRODUCT REF DESCRIPTION FINISH
MHL 35.18-29D Disabled bathroom turn and indicator SAA
MHL 35.18-SLEEUE Spindle sleeve pack – to adapt 5mm spindle

to 6, 7 or 8mm



MHL 35.18



# Cavell Suite - Pull Handles - Aluminium

### MHL 35.19

# Straight Pull Handles ('D' Handles) Concealed Screw Fixing Ø 20mm

#### **Features**

Supplied with Concealed Screw Fixing Pack.

DESCRIPTION	FINISH
150mm concealed screw fixing pull handle	SAA
225mm concealed screw fixing pull handle	SAA
300mm concealed screw fixing pull handle	SAA
425mm concealed screw fixing pull handle	SAA
	150mm concealed screw fixing pull handle 225mm concealed screw fixing pull handle 300mm concealed screw fixing pull handle

MHL 35.19


### MHL 35.20

# Straight Pull Handles ('D' Handles) Concealed Screw Fixing Ø 22mm

#### **Features**

Supplied with Concealed Screw Fixing Pack.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.20-225CF	225mm concealed screw fixing pull handle	SAA
MHL 35.20-300CF	300mm concealed screw fixing pull handle	SAA
MHL 35.20-425CF	425mm concealed screw fixing pull handle	SAA



### MHL 35,21

# Straight Pull Handles ('D' Handles) Bolt Through Fixing Ø 20mm

### **Features**

Suitable for 39mm to 49mm door thickness.

Supplied with Bolt Through Fixing Pack.

Out the with Den ti	in out thinks t done	
PRODUCT REF	DESCRIPTION	FINISH
MHL 35.21-150BF	150mm bolt through fixing pull handle	SAA
MHL 35.21-225BF	225mm bolt through fixing pull handle	SAA
MHL 35.21-300BF	300mm bolt through fixing pull handle	SAA
MHL 35.21-425BF	425mm bolt through fixing pull handle	SAA



MHL 35.21

### MHL 35.22

# Straight Pull Handles ('D' Handles) Bolt Through Fixing Ø 22mm

### Features


Supplied with Bolt Through Fixing Pack.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.22-225BF	225mm bolt through fixing pull handle	SAA
MHL 35.22-300BF	300mm bolt through fixing pull handle	SAA
MHL 35.22-425BF	425mm bolt through fixing pull handle	SAA

Finish: Satin Anodised Aluminium (SAA).



Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"



# Cavell Suite - Pull Handles - Aluminium

### MHL 35.23

### Straight Pull Handles ('D' Handles) Bolt Through Fixing Ø 25mm

#### **Features**

Supplied with Bolt Through Fixing Pack.

PRODUCT REF FINISH DESCRIPTION 300mm bolt through fixing pull handle MHL 35.23-300BF SAA MHL 35.23-350BF 350mm bolt through fixing pull handle SAA



### MHL 35.24


### Straight Pull Handles ('D' Handles) Back-to-Back Fixing Ø 20mm

### **Features**

Suitable for 38mm to 48mm door thickness.

Supplied with Back-to-Back Fixing Pack.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.24-150BB	150mm back-to-back fixing pull handle	SAA
MHL 35.24-225BB	225mm back-to-back fixing pull handle	SAA
MHL 35.24-300BB	300mm back-to-back fixing pull handle	SAA
MHL 35.24-425BB	425mm back-to-back fixing pull handle	SAA



### MHL 35.25

### Straight Pull Handles ('D' Handles) Back-to-Back Fixing Ø 22mm

### **Features**

Supplied with Back-to-Back Fixing Pack.

Can be supplied with 2 sets of Concealed Fixing Packs

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.25-150BB	150mm back-to-back fixing pull handle	SAA
MHL 35.25-225BB	225mm back-to-back fixing pull handle	SAA
MHL 35.25-300BB	300mm back-to-back fixing pull handle	SAA
MHL 35.25-425BB	425mm back-to-back fixing pull handle	SAA

MHL 35.24

Finish: Satin Anodised Aluminium (SAA).



Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

# Cavell Suite - Pull Handles - Aluminium

### MHL 35.26

### Straight Pull Handles ('D' Handles) Back-to-Back Ø 25mm

#### Features

Supplied with two Back-to-Back Fixing Bolts.

PRODUCT REF DESCRIPTION FINISH
MHL 35.26-300BB 300mm back-to-back fixing pull handle SAA
MHL 35.26-350BB 350mm back-to-back fixing pull handle SAA

### MHL 35.27

### Straight Pull Handles ('D' Handles) Back-to-Back Fixing Ø 30mm

### **Features**

Supplied with two Back-to-Back Fixing Bolts.

PRODUCT REF DESCRIPTION FINISH
MHL 35.27-300BB 300mm back-to-back fixing pull handle SAA
MHL 35.27-350BB 350mm back-to-back fixing pull handle SAA

### MHL 35.28

### Cranked Pull Handles Bolt Through Fixing Ø 25mm

#### Features

Suitable for 39mm to 49mm door thickness. Supplied with Bolt Through Fixing Pack.

PRODUCT REF DESCRIPTION FINISH
MHL 35.28-300BF 300mm bolt through fixing pull handle SAA
MHL 35.28-350BF 350mm bolt through fixing pull handle SAA

### MHL 35.29

### Cranked Pull Handles Bolt Through Fixing Ø 30mm

### **Features**

Suitable for 39mm to 49mm door thickness. Supplied with Bolt Through Fixing Pack.

PRODUCT REF DESCRIPTION FINISH
MHL 35.29-300BF 300mm bolt through fixing pull handle SAA
MHL 35.29-350BF 350mm bolt through fixing pull handle SAA

### MHL 35.30

### Cranked Pull Handles Back-to-Back Fixing Ø 25mm

### **Features**

Suitable for 38mm to 48mm door thickness. Supplied with two Back-to-Back Fixing Bolts.

PRODUCT REF DESCRIPTION FINISH
MHL 35.30-300BB 300mm back-to-back fixing pull handle SAA
MHL 35.30-350BB 350mm back-to-back fixing pull handle SAA

### MHL 35.31

### Cranked Pull Handles Back-to-Back Fixing Ø 30mm


### Features

Suitable for 38mm to 48mm door thickness. Supplied with two Back-to-Back Fixing Bolts.

PRODUCT REF DESCRIPTION FINISH
MHL 35.31-300BB 300mm back-to-back fixing pull handle SAA
MHL 35.31-350BB 350mm back-to-back fixing pull handle SAA


Finish: Satin Anodised Aluminium (SAA).







MHL 35.28



### MHL 35.32

### Return to Door Lever on 8mm Round Rose Stainless Steel Underplate (sprung) – Ø19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing) Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.32-SSS	Lever on rose	SSS
MHL 35.32-PSS	Lever on rose	PSS




MHL 35.32

# 52 | 140 | 70










MHL 35.34



### MHL 35.33

### Return to Door Lever on 6mm Round Rose Stainless Steel Underplate (sprung) – Ø19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing) Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.33-SSS	Lever on rose	SSS
MHL 35.33-PSS	Lever on rose	PSS



Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"

### MHL 35.34

### Return to Door Lever on 6mm Round Rose Stainless Steel Underplate (sprung) – Ø22mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing) Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.34-SSS	Lever on rose	SSS
MHL 35.34-PSS	Lever on rose	PSS

### MHL 35.35

### Return to Door Lever on 6mm Round Rose Stainless Steel Underplate (unsprung) – Ø22mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing) Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.35-SSS	Lever on rose	SSS
MHL 35.35-PSS	Lever on rose	PSS



Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"

### MHL 35.36


# Return to Door Lever on 9mm Concealed Fix Rectangular Plate (sprung) – Ø 19mm


Supplied with both wood screw and bolt through fixings. Suitable for 40mm to 50mm door thickness. Bolt through fixings suitable for UK locks and DIN standard locks. 8mm x 110mm spindle.


PRODUCT REF	DESCRIPTION	FINISH
MHL 35.36-11-SSS	Long plate latch furniture	SSS
MHL 35.36-11-PSS	Long plate latch furniture	PSS
MHL 35.36-12-SSS	Lock furniture 57mm centres	SSS
MHL 35.36-12-PSS	Lock furniture 57mm centres	PSS
MHL 35.36-13-SSS	Euro profile lock furniture 47.6mm centres	SSS
MHL 35.36-13-PSS	Euro profile lock furniture 47.6mm centres	PSS
MHL 35.36-13-72-SSS	Euro profile lock furniture 72mm centres	SSS
MHL 35.36-13-72-PSS	Euro profile lock furniture 72mm centres	PSS
MHL 35.36-14-SSS	Oval profile lock furniture 48.5mm centres	SSS
MHL 35.36-14-PSS	Oval profile lock furniture 48.5mm centres	PSS
MHL 35.36-15-SSS	Bathroom furniture 57mm centres	SSS
MHL 35.36-15-PSS	Bathroom furniture 57mm centres	PSS
MHL 35.36-15-78-SSS	Bathroom furniture 78mm centres	SSS
MHL 35.36-15-78-PSS	Bathroom furniture 78mm centres	PSS



MHL 35.36







失

Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"

### MHL 35.37

# Non-Return to Door Lever on 6mm Round Rose – Stainless Steel Underplate (sprung) – Ø19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing). Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.37-SSS	Lever on rose	SSS
MHL 35.37-PSS	Lever on rose	PSS



MHL 35.37

### MHL 35.38

# Non-Return to Door Mitred Lever on 6mm Round Rose – Stainless Steel Underplate (sprung) – Ø19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing). Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.38-SSS	Lever on rose	SSS
MHL 35.38-PSS	Lever on rose	PSS



MHL 35.38

### MHL 35.39

# Scrolled Solid Stainless Steel Lever on 6mm Round Rose – Stainless Steel Underplate (sprung)

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing). Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.39-SSS	Lever on rose	SSS
MHL 35.39-PSS	Lever on rose	PSS



MHL 35.39

### MHL 35.40

### T-Bar Lever on 6mm Round Rose – Stainless Steel Underplate (sprung) – Ø 19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing). Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness. Stainless steel underplate.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.40-SSS	Lever on rose	SSS
MHL 35.40-PSS	Lever on rose	PSS



MHL 35.40

### MHL 35.41

# Curved T-Bar Lever on 6mm Round Rose (sprung) – Ø19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing). Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.41-SSS	Lever on rose	SSS
MHL 35.41-PSS	Lever on rose	PSS



MHL 35.41

### MHL 35.42

# Wave T-Bar Lever on 6mm Round Rose (sprung) – Ø19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing). Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.42-SSS	Lever on rose	SSS
MHL 35.42-PSS	Lever on rose	PSS



MHL 35.42

### MHL 35.43

### Curved Lever on 6mm Round Rose (sprung) - Ø19mm

Supplied with both wood screw and bolt through fixings (4 point hexagonal fixing). Grub screw fixing onto 8mm x 110mm spindle. Suitable for 40mm to 50mm door thickness.

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
PRODUCT REF	DESCRIPTION	FINISH
MHL 35.43-SSS	Lever on rose	SSS
MHL 35.43-PSS	Lever on rose	PSS



MHL 35.43

# Cavell Suite - Escutcheons, Indicators & Turns - Stainless Steel

### MHL 35.44

### Concealed Fix Escutcheons (6mm)

Ø 52mm with 38mm fixing centres. Supplied with stainless steel understructure. Supplied with wood screw fixings.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.44-66-SSS	Lever key escutcheon (pair)	SSS
MHL 35.44-66-PSS	Lever key escutcheon (pair)	PSS
MHL 35.44-67-SSS	Euro profile escutcheon (pair)	SSS
MHL 35.44-67-PSS	Euro profile escutcheon (pair)	PSS
MHL 35.44-68-SSS	Oval profile escutcheon (pair)	SSS
MHL 35.44-68-PSS	Oval profile escutcheon (pair)	PSS



### MHL 35.45

### Bathroom Turn and Indicator (6mm)

Ø 52mm with 38mm fixing centres. Supplied with stainless steel understructure. 5mm spindle. Supplied with wood screw fixings.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.45-69-SSS	Bathroom turn and indicator	SSS
MHL 35.45-69-PSS	Bathroom turn and indicator	PSS
MHL 35.45-79-SSS	B/R Turn & Release No indicator	SSS
MHL 35.45-79-PSS	B/R Turn & Release No indicator	PSS



MHL 35.45

### MHL 35.46

### Disabled Turn and Indicator (6mm)

 $\varnothing$  52mm with 38mm fixing centres. Supplied with stainless steel understructure. 5mm spindle. Supplied with wood screw fixings.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.46-69D-SSS	Disabled bathroom turn and indicator	SSS
MHL 35.46-69D-PSS	Disabled bathroom turn and indicator	PSS
MHL 35.46-79D-SSS	Disabled Turn & Release No indicator	SSS
MHL 35.46-79D-PSS	Disabled Turn & Release No indicator	PSS



MHL 35.46

# Cavell Suite - Escutcheons, Indicators & Turns - Stainless Steel

### MHL 35.47

### Concealed Fix Escutcheons (8mm)

 $\emptyset$  52mm with 38mm fixing centres. Supplied with stainless steel understructure. Supplied with wood screw fixings.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.47-26-SSS	Lever key escutcheon (pair)	SSS
MHL 35.47-26-PSS	Lever key escutcheon (pair)	PSS
MHL 35.47-27-SSS	Euro profile escutcheon (pair)	SSS
MHL 35.47-27-PSS	Euro profile escutcheon (pair)	PSS
MHL 35.47-28-SSS	Oval profile escutcheon (pair)	SSS
MHL 35.47-28-PSS	Oval profile escutcheon (pair)	PSS



### MHL 35.48

### Bathroom Turn and Indicator (8mm)

Ø 52mm with 38mm fixing centres. Supplied with stainless steel understructure. 5mm spindle. Supplied with wood screw fixings.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.48-29-SSS	Bathroom turn and indicator	SSS
MHL 35.48-29-PSS	Bathroom turn and indicator	PSS
MHL 35.48-39-SSS	Bathroom Turn & Release No indicator	SSS
MHL 35.48-39-PSS	Bathroom Turn & Release No indicator	PSS



MHL 35.48

### MHL 35.49

### Disabled Turn and Indicator (8mm)

 $\emptyset$  52mm with 38mm fixing centres. Supplied with stainless steel understructure. 5mm spindle. Supplied with wood screw fixings.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.49-29D-SSS	Disabled bathroom turn and indicator	SSS
MHL 35.49-29D-PSS	Disabled bathroom turn and indicator	PSS
MHL 35.49-39D-SSS	Disabled Turn & Release No indicator	SSS
MHL 35.49-39D-PSS	Disabled Turn & Release No indicator	PSS



MHL 35.49

### MHL 35.50

### 'D' Shape Pull Handles Bolt Fix - Ø19mm

Supplied with two 8mm x 75mm bolts countersunk allen key operated (also supplied). Including two clear  $\emptyset$  19mm flexible nylon washers for neck of pull handle.


PRODUCT REF	DESCRIPTION	FINISH
MHL 35.50-150-BF-SSS	150mm bolt through fixing pull handle	SSS
MHL 35.50-150-BF-PSS	150mm bolt through fixing pull handle	PSS
MHL 35.50-225-BF-SSS	225mm bolt through fixing pull handle	SSS
MHL 35.50-225-BF-PSS	225mm bolt through fixing pull handle	PSS
MHL 35.50-300-BF-SSS	300mm bolt through fixing pull handle	SSS
MHL 35.50-300-BF-PSS	300mm bolt through fixing pull handle	PSS
MHL 35.50-425-BF-SSS	425mm bolt through fixing pull handle	SSS
MHL 35.50-425-BF-PSS	425mm bolt through fixing pull handle	PSS
MHL 35.50-600-BF-SSS	600mm bolt through fixing pull handle	SSS
MHL 35.50-600-BF-PSS	600mm bolt through fixing pull handle	PSS

### MHL 35.51

### 'D' Shape Pull Handles Bolt Fix - Ø22mm

Supplied with two 8mm x 75mm bolts countersunk allen key operated (also supplied). Including two clear  $\emptyset$  19mm flexible nylon washers for neck of pull handle.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.51-150-BF-SSS	150mm bolt through fixing pull handle	SSS
MHL 35.51-150-BF-PSS	150mm bolt through fixing pull handle	PSS
MHL 35.51-225-BF-SSS	225mm bolt through fixing pull handle	SSS
MHL 35.51-225-BF-PSS	225mm bolt through fixing pull handle	PSS
MHL 35.51-300-BF-SSS	300mm bolt through fixing pull handle	SSS
MHL 35.51-300-BF-PSS	300mm bolt through fixing pull handle	PSS
MHL 35.51-425-BF-SSS	425mm bolt through fixing pull handle	SSS
MHL 35.51-425-BF-PSS	425mm bolt through fixing pull handle	PSS
MHL 35.51-600-BF-SSS	600mm bolt through fixing pull handle	SSS
MHL 35.51-600-BF-PSS	600mm bolt through fixing pull handle	PSS



MHL 35.50

Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

### MHL 35.52

### 'D' Shape Pull Handles on Rose Concealed Fix – Ø19mm

6mm high rose with stainless steel inner 4 point fixing. Rose fixed to handle by 8mm  $\times$  35mm bolts (two supplied) allen key operated (also supplied).

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.52-150-CF-SSS	150mm pull handle on rose	SSS
MHL 35.52-150-CF-PSS	150mm pull handle on rose	PSS
MHL 35.52-225-CF-SSS	225mm pull handle on rose	SSS
MHL 35.52-225-CF-PSS	225mm pull handle on rose	PSS
MHL 35.52-300-CF-SSS	300mm pull handle on rose	SSS
MHL 35.52-300-CF-PSS	300mm pull handle on rose	PSS
MHL 35.52-425-CF-SSS	425mm pull handle on rose	SSS
MHL 35.52-425-CF-PSS	425mm pull handle on rose	PSS
MHL 35.52-600-CF-SSS	600mm pull handle on rose	SSS
MHL 35.52-600-CF-PSS	600mm pull handle on rose	PSS

Above also available with 8mm roses - please specify when ordering.


### MHL 35.53

# 'D' Shape Pull Handles on Rose Concealed Fix – Ø22mm

6mm high rose with stainless steel inner 4 point fixing. Rose fixed to handle by 8mm  $\times$  35mm bolts (two supplied) allen key operated (also supplied).

DESCRIPTION	FINISH
150mm pull handle on rose	SSS
150mm pull handle on rose	PSS
225mm pull handle on rose	SSS
225mm pull handle on rose	PSS
300mm pull handle on rose	SSS
300mm pull handle on rose	PSS
425mm pull handle on rose	SSS
425mm pull handle on rose	PSS
600mm pull handle on rose	SSS
600mm pull handle on rose	PSS
	150mm pull handle on rose 150mm pull handle on rose 225mm pull handle on rose 225mm pull handle on rose 300mm pull handle on rose 300mm pull handle on rose 425mm pull handle on rose 425mm pull handle on rose 600mm pull handle on rose

Above also available with 8mm roses - please specify when ordering.



MHL 35.52




Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

### MHL 35.54

### 'D' Shape Pull Handles Back to Back - Ø19mm

Supplied with two 8mm back to back bolts. Including four clear  $\emptyset$  19mm flexible nylon washers for neck of pull handle.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.54-150-BB-SSS	150mm back-to-back fixing pull handle	SSS
MHL 35.54-150-BB-PSS	150mm back-to-back fixing pull handle	PSS
MHL 35.54-225-BB-SSS	225mm back-to-back fixing pull handle	SSS
MHL 35.54-225-BB-PSS	225mm back-to-back fixing pull handle	PSS
MHL 35.54-300-BB-SSS	300mm back-to-back fixing pull handle	SSS
MHL 35.54-300-BB-PSS	300mm back-to-back fixing pull handle	PSS
MHL 35.54-425-BB-SSS	425mm back-to-back fixing pull handle	SSS
MHL 35.54-425-BB-PSS	425mm back-to-back fixing pull handle	PSS
MHL 35.54-600-BB-SSS	600mm back-to-back fixing pull handle	SSS
MHL 35.54-600-BB-PSS	600mm back-to-back fixing pull handle	PSS



### MHL 35.54

### MHL 35.55

### 'D' Shape Pull Handles Back to Back - Ø22mm

Supplied with two 8mm back to back bolts. Including four clear  $\emptyset$  19mm flexible nylon washers for neck of pull handle.

PRODUCT REF	DESCRIPTION	FINISH
MHL 35.55-150-BB-SSS	150mm back-to-back fixing pull handle	SSS
MHL 35.55-150-BB-PSS	150mm back-to-back fixing pull handle	PSS
MHL 35.55-225-BB-SSS	225mm back-to-back fixing pull handle	SSS
MHL 35.55-225-BB-PSS	225mm back-to-back fixing pull handle	PSS
MHL 35.55-300-BB-SSS	300mm back-to-back fixing pull handle	SSS
MHL 35.55-300-BB-PSS	300mm back-to-back fixing pull handle	PSS
MHL 35.55-425-BB-SSS	425mm back-to-back fixing pull handle	SSS
MHL 35.55-425-BB-PSS	425mm back-to-back fixing pull handle	PSS
MHL 35.55-600-BB-SSS	600mm back-to-back fixing pull handle	SSS
MHL 35.55-600-BB-PSS	600mm back-to-back fixing pull handle	PSS



Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

### MHL 35.56

### Solid Nylon Lever on Round Rose (unsprung) Ø 21mm

Supplied with wood screw fixings.

Supplied with 8mm x 105mm full profile spindle.

Suitable for 38mm to 47mm door thickness.

NOT to be used on Fire Doors.

Standards and Certification

Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"


PRODUCT REF DESCRIPTION

MHL 35.56 Lever on round rose

MHL 35.56-CAS Spring cassette for above (single)



MHL 35.56



### MHL 35.57

### Steel Cored Lever on Round Rose (unsprung) Ø 21mm

**Features** 

Supplied with wood screw fixings.

Supplied with 8mm x 105mm full profile spindle.

Suitable for 38mm to 47mm door thickness.

Suitable for use on Fire Doors.

Standards and Certification


Conformity Statement: meets the dimensional recommendations of BS8300 and Approved Document "M"

PRODUCT REF DESCRIPTION

MHL 35.57 Lever on round rose - Steel Cored MHL 35.57-CAS Spring cassette for above (single)



MHL 35.57



### MHL 35.58

### Solid Nylon Lever on Radius Plate (unsprung) Ø 21mm

**Features** 

Supplied with wood screw fixings.

Supplied with 8mm x 105mm full profile spindle.

Suitable for 38mm to 47mm door thickness.


NOT to be used on Fire Doors.


Standards and Certification

PRODUCT REF	DESCRIPTION
MHL 35.58-11	Long plate latch furniture
MHL 35.58-12	Lock furniture
MHL 35.58-13	Euro profile lock furniture 47.6mm centres
MHL 35.58-13-72	Euro profile lock furniture 72mm centres
MHL 35.58-14	Oval profile lock furniture 48.5mm centres
MHL 35.58-15	Bathroom furniture 57mm centres
MHL 35.58-15-78	Bathroom furniture 78mm centres









### MHL 35.59

### Steel Cored Lever on Radius Plate (unsprung) Ø 21mm

**Features** 

Supplied with wood screw fixings.

Supplied with 8mm x 105mm full profile spindle.

Suitable for 38mm to 47mm door thickness.


Suitable for use on Fire Doors.


Standards and Certification

PRODUCT REF	DESCRIPTION
MHL 35.59-21	Long plate latch furniture
MHL 35.59-22	Lock furniture
MHL 35.59-23	Euro profile lock furniture 47.6mm centres
MHL 35.59-23-72	Euro profile lock furniture 72mm centres
MHL 35.59-24	Oval profile lock furniture 48.5mm centres
MHL 35.59-25	Bathroom furniture 57mm centres
MHL 35.59-25-78	Bathroom furniture 78mm centres



MHL 35.59





### MHL 35.60

# Solid Nylon Levers on Rectangular Plate (unsprung) Ø 21mm

**Features** 

Supplied with wood screw fixings.

Supplied with 8mm x 105mm full profile spindle.

Suitable for 38mm to 47mm door thickness.


NOT to be used on Fire Doors.


Standards and Certification

PRODUCT REF	DESCRIPTION
MHL 35.60-31	Long plate latch furniture
MHL 35.60-32	Lock furniture
MHL 35.60-33	Euro profile lock furniture 47.6mm centres
MHL 35.60-33-72	Euro profile lock furniture 72mm centres
MHL 35.60-34	Oval profile lock furniture 48.5mm centres
MHL 35.60-35	Bathroom furniture 57mm centres
MHL 35.60-35-78	Bathroom furniture 78mm centres



MHL 35.60





### MHL 35.61

# Steel Cored Levers on Rectangular Plate (unsprung) Ø 21mm

**Features** 

Supplied with wood screw fixings.

Supplied with 8mm x 105mm full profile spindle.

Suitable for 38mm to 47mm door thickness.


Suitable for use on Fire Doors.


Standards and Certification

PRODUCT REF	DESCRIPTION
MHL 35.61-41	Long plate latch furniture
MHL 35.61-42	Lock furniture
MHL 35.61-43	Euro profile lock furniture 47.6mm centres
MHL 35.61-43-72	Euro profile lock furniture 72mm centres
MHL 35.61-44	Oval profile lock furniture 48.5mm centres
MHL 35.61-45	Bathroom furniture 57mm centres
MHL 35.61-45-78	Bathroom furniture 78mm centres



MHL 35.61





# Cavell Suite - Escutcheon, Indicators & Turns - Nylon

### MHL 35.62

### Escutcheon (8mm)

**Features** 

Ø 52mm with 38mm fixing centres.

PRODUCT REF DESCRIPTION

MHL 35.62-26 Lever key escutcheon (pair)
MHL 35.62-27 Euro profile escutcheon (pair)
MHL 35.62-28 Oval profile escutcheon (pair)
MHL 35.62-30 Blank escutcheon (pair)



MHL 35.62

### MHL 35.63

### Bathroom Indicator & Turns (8mm Rose)

Features
5mm spindle.

PRODUCT REF DESCRIPTION

MHL 35.63-29 Bathroom turn and indicator

MHL 35.63-SLEEUE Spindle sleeve pack - converts 5m spindle to

either 6, 7 or 8mm



MHL 35.63

### MHL 35.64

### Disabled Bathroom Indicator & Turns (8mm Rose)

**Features** 


5mm spindle, colour coated aluminium.

PRODUCT REF DESCRIPTION

MHL 35.64-29D Disabled Bathroom turn and indicator

MHL 35.64-SLEEUE Spindle sleeve pack - converts 5m spindle to

either 6, 7 or 8mm



MHL 35.64

### MHL 35.65

Steel Cored Straight Pull Handles ('D' Handles) Ø 23mm Concealed Screw Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.

PRODUCT REF DESCRIPTION

MHL 35-65-165CF 165mm centres, pull handle

MHL 35.66

### MHL 35.66

Steel Cored Straight Pull Handles ('D' Handles) Ø 34mm Concealed Screw Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.


Standards and Certification

ይ

Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

PRODUCT REF DESCRIPTION

MHL 35.66-220CF 220mm centres, pull handle
MHL 35.66-300CF 300mm centres, pull handle
MHL 35.66-425CF 425mm centres, pull handle
MHL 35.66-600CF 600mm centres, pull handle



### MHL 35.67

# Steel Cored Straight Pull Handles ('D' Handles) Ø 23mm Bolt Through Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.

Supplied with bolt through fixing and matching bolt cover caps.

PRODUCT REF DESCRIPTION

MHL 35.67-165BF 165mm centres, pull handle

### MHL 35.68

### Steel Cored Straight Pull Handles ('D' Handles) Ø 34mm Bolt Through Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.

Supplied with two bolt through fixings and matching bolt cover caps.

Standards and Certification



Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

PRODUCT REF DESCRIPTION

MHL 35.68-220BF 220mm centres, pull handle
MHL 35.68-300BF 300mm centres, pull handle
MHL 35.68-425BF 425mm centres, pull handle
MHL 35.68-600BF 600mm centres, pull handle

### MHL 35.69

### Steel Cored Straight Pull Handles ('D' Handles) Ø 34mm Back-to-Back Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.

Supplied with back-to-back fixing.

Supplied with inner pull handle drilled, with grub screws to lock back-to-back fixing.

Standards and Certification

ቴ


Conformity Statement: Pull Handles with a length of 400mm and above meet the dimensional recommendations of BS8300 and Approved Document "M"

PRODUCT REF DESCRIPTION

MHL 35.69-220BB 220mm centres, pull handle
MHL 35.69-300BB 300mm centres, pull handle
MHL 35.69-425BB 425mm centres, pull handle
MHL 35.69-600BB 600mm centres, pull handle



MHL 35.68





MHL 35.69

### MHL 35.70

### Steel Cored Cranked Pull Handles Ø 34mm Concealed Screw Fixing

**Features** 


Suitable for 40mm to 50mm door thickness.

PRODUCT REF DESCRIPTION

MHL 35.70-200CF 200mm centres, pull handle MHL 35.70-300CF 300mm centres, pull handle



MHL 35.70



### MHL 35.71

### Steel Cored Cranked Pull Handles Ø 34mm Bolt Through Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.


Supplied with two bolt through fixings and matching bolt cover caps.

PRODUCT REF DESCRIPTION

MHL 35.71-200BF 200mm centres, pull handle MHL 35.71-300BF 300mm centres, pull handle



MHL 35.71



### MHL 35.72

### Steel Cored Cranked Pull Handles Ø 34mm Back-to-Back Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.


Supplied with back-to-back fixing.

Supplied with inner pull handle drilled, with grub screws to lock


back-to-back fixing.

PRODUCT REF DESCRIPTION

MHL 35.72-200BB 200mm centres, pull handle MHL 35.72-300BB 300mm centres, pull handle



MHL 35.72



### MHL 35.73

# Steel Cored "V" Shaped Pull Handles Ø 34mm Bolt Through Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.


Supplied with two bolt through fixings and matching bolt cover caps.

PRODUCT REF DESCRIPTION

MHL 35.73-300BF 300mm centres, pull handle



MHL 35.73



### MHL 35.74

### Steel Cored "V" Shaped Pull Handles Ø 34mm Back-to-Back Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.

Supplied with back-to-back fixing.

Supplied with one inner pull handle drilled, with grub screws to lock


back-to-back fixing.

PRODUCT REF DESCRIPTION

MHL 35.74-300BB 300mm centres, pull handle



MHL 35.74



### MHL 35.75

# Steel Cored Semi-Circular Pull Handles Ø 34mm Bolt Through Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.

Supplied with bolt through fixing set and matching bolt cover caps.


Supplied with pull handle drilled, with grub screws.

PRODUCT REF DESCRIPTION

MHL 35.75-300BF 300mm centres, pull handle



MHL 35.75



### MHL 35.76

### Steel Cored Semi-Circular Pull Handles Ø 34mm Back-to-Back Fixing

**Features** 

Suitable for 40mm to 50mm door thickness.

Supplied with two back-to-back fixings.

Supplied with both pull handles drilled, with grub screws to lock


back-to-back fixing.

PRODUCT REF DESCRIPTION

MHL 35.76-300BB 300mm centres, pull handle



MHL 35.76



### Cavell Suite - Accessories - Nylon

### MHL 35.77

PRODUCT REF DESCRIPTION

MHL 35.77-S Cylinder pull for standard rim cylinder MHL 35.77-YP Cylinder pull for euro profile cylinder MHL 35.77-U Cylinder pull for oval profile cylinder



MHL 35.77

### MHL 35.78

PRODUCT REF DESCRIPTION

MHL 35.78-A 150mm surface door bolt MHL 35.78-B 200mm surface door bolt



MHL 35.78

### MHL 35.79

PRODUCT REF DESCRIPTION

MHL 35.79 19mm x 200mm lever action flush bolt



MHL 35.79

### MHL 35.80

PRODUCT REF DESCRIPTION

MHL 35.80 Wall mounted door stop – 75mm projection



### MHL 35.81

PRODUCT REF DESCRIPTION

MHL 35.81-A 75mm x 50mm x 1.75mm Colour coated steel butt

hinge with matching screws (MHL 15.01 type)

(See Hinges section)

MHL 35.81-B 100mm x 75mm x 2.25mm Colour coated steel butt

hinge with matching screws (MHL 15.01 type)

(See Hinges section)

MHL 35.81-C 75mm x 63mm x 2.75mm Colour coated steel butt

hinge with matching screws (MHL 15.03 type)

(See Hinges section)

MHL 35.81-D 100mm x 75mm x 2.75mm Colour coated steel butt

hinge with matching screws (MHL 15.03 type)

(See Hinges section)



MHL 35.81

### Cavell Suite - Accessories - Nylon

### MHL 35.82

PRODUCT REF DESCRIPTION

MHL 35.82-M 80mm x 150mm concealed fixing, international

male sign

MHL 35.82-F 80mm x 150mm concealed fixing, international

female sign

MHL 35.82-D 80mm x 150mm concealed fixing, international

disabled sign



MHL 35.82-M MHL 35.82-F



MHL 35.82-D

### MHL 35.83

PRODUCT REF DESCRIPTION

MHL 35.83-A Ø 32mm floor/wall mounted door stop 20mm

projection

MHL 35.83-B Ø 52mm floor/wall mounted door stop 40mm

projection



PRODUCT REF DESCRIPTION MHL 35.84 Ø 52mm bell push

### MHL 35.85

PRODUCT REF DESCRIPTION

MHL 35.85-A Face fixing hat and coat hook (20mm wide) Concealed fixing hat and coat hook (20mm wide) MHL 35.85-B

Face fixing coat hook (20mm wide) MHL 35.85-C MHL 35.85-D Concealed fixing coat hook (20mm wide)

### MHL 35.86

PRODUCT REF DESCRIPTION

MHL 35.86-A Ø 20mm toilet roll holder MHL 35.86-B Ø 20mm locking toilet roll holder

MHL 35.86-KEY Key for MHL 35.86-B

### MHL 35.87

**PRODUCT REF** DESCRIPTION

MHL 35.87 160mm x 220mm towel ring

### MHL 35.88

**PRODUCT REF** DESCRIPTION

MHL 35.88 Ø 40mm cupboard knob – 40mm projection

### MHL 35.89

PRODUCT REF DESCRIPTION

MHL 35.89-A 10mm x 64mm screw fixing from back, cabinet handle

32mm projection

MHL 35.89-B 12mm x 96mm screw fixing from back, cabinet handle

38mm projection

MHL 35.89-C 20mm x 128mm screw fixing from back, cabinet

handle 55mm projection















MHL 35.89

# Cavell Suite - Accessories - Nylon

MHL 35.90

PRODUCT REF DESCRIPTION

MHL 35.90-M

100mm x 150mm rectangular male sign

MHL 35.90-F

100mm x 150mm rectangular female sign

MHL 35.90-D

100mm x 150mm rectangular disabled sign








MHL 35.90-M MHL 35.90-F MHL 35.90-D

MHL 35.91

PRODUCT REF DESCRIPTION

MHL 35.91-A 75mm x 305mm square end, self adhesive finger plate MHL 35.91-B 75mm x 305mm radiused end, self adhesive finger plate



MHL 35.92

PRODUCT REF DESCRIPTION

MHL 35.92 Self adhesive kicking plate – Cut to order



MHL 35.92



F1004 Golden Yellow



F3003 Red (Rouge)



F3005 Claret (Burgundy)



F5002 Cobalt Blue



F5003 Midnight (Dark) Blue



F6016 Green (Viridian)



F7043 Flint (Dark)



F7506 Manhattan Grey



F8017 Brown (Sienna)



F9016 Diamond White




F9017 Black (Ebony)

# Aluminium Lever Handles

### Edinburgh Range (Concealed fix)

	Plate	e size mm
MHL 35.93	Lever Latch	103 x 40
MHL 35.94	Lever Lock	154 x 40
MHL 35.95	Bathroom	154 x 40
MHL 35.96	Oval Cylinder Lock	154 x 40
MHL 35.97	Euro Cylinder Lock	154 x 40



MHL 35.93

### Elland Range (Face fix)


	Plat	e size mm
MHL 35.98	Lever Latch	103 x 40
MHL 35.99	Lever Lock	154 x 40
MHL 35.100	Bathroom	154 x 40
MHL 35.101	Oval Cylinder Lock	154 x 40
MHL 35.102	Euro Cylinder Lock	k 154 x 40



MHL 35.98

### **Ambassador Range**

	Plate	e size mm
MHL 35.103	Lever Latch	95 x 38
MHL 35.104	Lever Lock	152 x 38
MHL 35.105	Bathroom	152 x 38
MHL 35.106	Privacy	152 x 38
MHL 35.107	Oval Cylinder Lock	152 x 38
MHL 35.108	Euro Cylinder Lock	152 x 38



MHL 35.104

### **Ambassador Range**

Plate size mm

MHL 35.109

Lever on Round Rose 52 mm dia



MHL 35.109

# Aluminium Lever Handles

### Martin Range

	PI	ate size mm
MHL 35.110	Lever Lock	152 x 41
MHL 35.111	Lever Latch	76 x 41
MHL 35.112	Bathroom Lever	s 152 x 41

### **Swallow Range**

	P	late size mm
MHL 35.113	Lever Lock	152 x 41
MHL 35.114	Lever Latch	95 x 41
MHL 35.115	Bathroom Lever	s 152 x 41

### Phoenix Range

	Plate	size mm
MHL 35.116	Lever Lock	155 x 41
MHL 35.117	Lever Latch	155 x 41
MHL 35.118	Oval Cylinder Lock	155 x 41
MHL 35.119	Euro Cylinder Lock	155 x 41
MHL 35.120	Lever Latch	117 x 41
MHL 35.121	Bathroom Levers	155 x 41

### **Teal Range**

	Plate	e size mm
MHL 35.122	Lever Lock	178 x 41
MHL 35.123	Lever Latch	118 x 41
MHL 35.124	Oval Cylinder Lock	178 x 41
MHL 35.125	Bathroom	178 x 41

### Raven Range

	Plate	size mm
MHL 35.126	Lever Lock	160 x 40
MHL 35.127	Bathroom	160 x 40
MHL 35.128	Oval Cylinder Lock	160 x 40
MHL 35.129	Euro Cylinder Lock	160 x 40
MHL 35.130	Lever Latch	120 x 40
MHL 35.131	Locking Latch	120 x 40



# Victorian Furniture

Rose

### LEVER FURNITURE

MHL 35.132 MHL 35.133 MHL 35.134 MHL 35.135 MHL 35.136	Lever Lock Furniture Oval Cyl. Lock Furniture Bathroom Lever Furniture Lever Latch Lever on Round Rose
MHL 35.137 MHL 35.138 MHL 35.139 MHL 35.140	Lever Lock Furniture Oval Cyl. Lock Furniture Bathroom Lever Furniture Lever Latch

Lever on Round Rose

Plate Size mm
152 x 42
152 x 42
152 x 42
114 x 42
58 mm dia. Rose
152 x 42
152 x 42
152 x 42
114 x 42
58 mm dia.



### KNOB FURNITURE MHL 35.142

MHL 35.141

**Ball Mortice Furniture** 

Rose Diameter: 60 mm. Knob Diameter: 44 mm.

### MHL 35.143

### **Oval Mortice Furniture**

Rose Diameter: 60 mm. Knob: 55 x 73 mm.

### MHL 35,144

### **Mushroom Mortice Furniture**

Rose Diameter: 60 mm. Knob Diameter: 52 mm.

### **ESCUTCHEONS**

MHL 35.145

Open Escutcheon

Diameter: 32 mm.

### MHL 35.146

**Covered Escutcheon** 

Diameter: 32 mm.

### **CUPBOARD KNOB**

MHL 35,147

Sizes: 25, 32, 38, 42, 50 mm.



MHL 35.143

MHL 35.137

MHL 35.142



MHL 35.144



MHL 35,145



MHL 35.147



MHL 25.146

# Victorian Furniture

### **FINGER PLATE** MHL 35.148

Finger Plate Size: 303 x 76 mm.



Letter Plate

Sizes: 254 x 76, 279 x 80, 305 x 102, 356 x 113, 406 x 127 mm.



MHL 35.148



MHL 35.149

### **CENTRE DOOR KNOBS** MHL 35.150

**Centre Door Knob** Size: (Diameter) 65 mm.



MHL 35.150

### MHL 35.151

Octagonal Centre Door Knob

Size: (Diameter) 66 mm.



MHL 35.151

### MHL 35.152

Centre Door Knob

Size: (Diameter) 66 mm.



### KNOCKERS MHL 35.152 MHL 35.153 Ring Knocker Size: (Diameter) 134 mm.



MHL 35.153

MHL 35.154

Knocker

Sizes: 158, 203 mm.



# Victorian Furniture

# CYLINDER PULL MHL 35.155

Cylinder Pull Size: 70 x 45 mm.

### BELL PUSHES MHL 35.156

**Bell Push** 

Size: 76 x 25 mm.



Size: 76 x 38 mm.

# CASEMENT FITTINGS MHL 35.158

Casement Stay Sizes: 203, 254, 305 mm.

### MHL 35.159

Casement Fastener With hook & mortice plate. Size: 57 x 13 mm.

### MHL 35.160 Casement Fastener

Wedge Pattern.

Locking Version also available - MHL 35.160L

Size: 57 x 13 mm



MHL 35.155



MHL 35.157



MHL 35.156







### Levers on Rose

### MHL 35.161

Lever on Round Rose

Press-on-Rose

Size: 52 mm Diameter Rose.

Finishes: Polished Chrome, Satin Chrome.



MHL 35.161

### MHL 35.162

Lever on Round Rose

Press-on-Rose

Size: 52 mm Diameter Rose.

Finishes: Polished Chrome, Satin Chrome.



MHL 35.162

### MHL 35.163

Lever on Round Rose

Press-on-Rose

Size: 52 mm Diameter Rose.

Finishes: Polished Chrome, Satin Chrome.



MHL 35.163

### MHL 35.164

Lever on Round Rose

Press-on-Rose

Size: 52 mm Diameter Rose.

Finishes: Polished Chrome. Satin Chrome.



MHL 35.164

### MHL 35,165

Lever on Round Rose

Press-on-Rose

Size: 52 mm Diameter Rose.

Finishes: Polished Chrome, Satin Chrome.



MHL 35,165

### **Escutcheon**

Press-on-Rose

Size: 52 mm Diameter.

**Uariations:** 

MHL 35.166 Euro Profile (illustrated)

MHL 35.167 Oval Profile

MHL 35.168 Standard Profile

Finishes: Polished Chrome. Satin Chrome.

MHL 35.169

Turn & Release

Press-on-Rose

Size: 52 mm Diameter.

Finishes: Polished Chrome, Satin Chrome.







MHL 35.166

MHL 35.169

### Levers on Backplate

Lever on Backplate

Dimensions: Backplate: 170 x 42 mm.

**Variations:** 


MHL 35.170 Lever Lock - Standard Profile

MHL 35.171 Lever Latch

MHL 35.172 Bathroom Furniture

MHL 35.173 Lever Lock - Euro Profile

Finishes: Polished Chrome. Satin Chrome.



Dimensions: Backplate: 170 x 42 mm.

**Variations:** 

MHL 35.174 Lever Lock - Standard Profile

MHL 35.175 Lever Latch

MHL 35.176 Bathroom Furniture

MHL 35.177 Lever Lock - Euro Profile

Finishes: Polished Chrome, Satin Chrome.



Dimensions: Backplate: 170 x 42 mm.

**Variations:** 

MHL 35.178 Lever Lock - Standard Profile

MHL 35.179 Lever Latch

MHL 35.180 Bathroom Furniture

MHL 35.181 Lever Lock - Euro Profile

Finishes: Polished Chrome. Satin Chrome.

### Lever on Backplate

Dimensions: Backplate: 170 x 42 mm.

**Variations:** 

MHL 35.182 Lever Lock - Standard Profile

MHL 35.183 Lever Latch

MHL 35.184 Bathroom Furniture

MHL 35.185 Lever Lock - Euro Profile

Finishes: Polished Chrome. Satin Chrome.

### Lever on Backplate

Dimensions: Backplate: 170 x 42 mm.

**Variations:** 

MHL 35.186 Lever Lock - Standard Profile

MHL 35.187 Lever Latch

MHL 35.188 Bathroom Furniture

MHL 35.189 Lever Lock - Euro Profile

Finishes: Polished Chrome. Satin Chrome.











# **Pull Handles**

### MHL 35.190

**Cabinet Handle** 

Bolt through fixing.

Sizes: 100 x 9 mm, 150 x 9 mm. Finishes: SAA, Polished Brass.

### MHL 35,191

Cranked Pull Handle

Screw fixing.

Sizes: 225, 300 mm.

Finishes: SAA. Polished Brass.

### MHL 35.192

**Pull Handle** 

Bolt through fixing.

Sizes: 150 x 19, 225 x 19, 305 x 19,

425 x 19, 600 x 19 mm. Finishes: SAA, Polished Brass.

### MHL 35,193

Pull Handle on Backplate

Face fixing.

Sizes: 150 mm (225 x 75 mm Plate)

225 mm (300 x 75 mm Plate) 300 mm (375 x 75 mm Plate)

Finishes: SAA. Polished Brass.

### MHL 35.194

**Pull Handle** 

Concealed fixing on rose.

Sizes: 150 x 19, 225 x 19, 305 x 19.

425 x 19, 600 x 19 mm.

Finishes: SAA. Polished Brass.







MHL 35.192



MHL 35.193



MHL 35.194

# Pull Handles - Brass

### MHL 35.195

**Pull Handle** 

Sizes: 152, 190 mm.



Cranked Pull Handle

Sizes: 230. 305 mm.



**Pull Handle** 

Sizes: 229, 305 mm.



**Pull Handle** 

Sizes: 254, 305 mm.

MHL 35.199

Pull Handle

Handle Length: 170 mm. Back Plate: 295 x 61 mm.



MHL 35.195





MHL 35.197



MHL 35.199



MHL 35.200



### MHL 35.200

**Pull Handle** 

Handle Length: 270 mm. Back Plate: 382 x 64 mm. Matching Finger Plate Available

# Flush Furniture

### MHL 35.201

Flush Ring

Sizes: 28 x 38, 32 x 45, 38 x 51, 51 x 64, 48 x 70, 64 x 76 mm.

Finishes: Polished Brass, Satin Chrome,

Polished Chrome.



MHL 35.201



Flush Ring Furniture

Size: 76 x 76 mm.

Finishes: Polished Brass, Satin Chrome,

Polished Chrome.



MHL 35.202

MHL 35.203

Squash Court Handle

Size: 89 x 89 mm.

Finishes: Polished Brass, Satin Chrome,

Satin Stainless Steel.



MHL 35.203

MHL 35.204

Flush Pull

Size: 110 x 50 mm.

Finish: SAA.



MHL 35.204

MHL 35.205

Flush Pull

Size: 102 x 45 mm.

Finishes: Polished Brass, Satin Chrome,

Polished Chrome.



MHL 35.205